

Patient reported outcome of adult perioperative anaesthesia in the United Kingdom: a cross-sectional observational study[†]

E. M. K. Walker¹, M. Bell², T. M. Cook³, M. P. W. Grocott⁴, S. R. Moonesinghe^{5*} and Central SNAP-1 Organisation, National Study Groups

¹National Institute of Academic Anaesthesia Health Services Research Centre, Royal College of Anaesthetists, London, WC1R 4SG, UK, ²Royal College of Anaesthetists, London, WC1R 4SG, UK, ³Royal United Hospital NHS Foundation Trust Bath, BA1 3NG, UK, ⁴Faculty of Medicine, University of Southampton, Southampton, SO17 1BJ, UK and ⁵National Institute of Academic Anaesthesia Health Services Research Centre, Royal College of Anaesthetists, London, WC1R 4SG, UK, and UCL/UCLH Surgical Outcomes Research Centre, Department of Anaesthetics and UCL Centre for Anaesthesia, University College Hospital, London, NW1 2BU, UK

*Corresponding author. E-mail: rmoonesinghe@rcoa.ac.uk
Members of the study group are listed in an appendix.

Abstract

Background. Understanding the patient perspective on healthcare is central to the evaluation of quality. This study measured selected patient-reported outcomes after anaesthesia in order to identify targets for research and quality improvement.

Methods. This cross-sectional observational study in UK National Health Service hospitals, recruited adults undergoing non-obstetric surgery requiring anaesthesia care over a 48 h period. Within 24 h of surgery, patients completed the Bauer questionnaire (measuring postoperative discomfort and satisfaction with anaesthesia care), and a modified Brice questionnaire to elicit symptoms suggestive of accidental awareness during general anaesthesia (AAGA). Patient, procedural and pharmacological data were recorded to enable exploration of risk factors for these poor outcomes.

Results. 257 hospitals in 171 NHS Trusts participated (97% of eligible organisations). Baseline characteristics were collected on 16,222 patients; 15,040 (93%) completed postoperative questionnaires. Anxiety was most frequently cited as the worst aspect of the perioperative experience. Thirty-five per cent of patients reported severe discomfort in at least one domain: thirst (18.5%; 95% CI 17.8–19.1), surgical pain (11.0%; 10.5–11.5) and drowsiness (10.1%; 9.6–10.5) were most common. Despite this, only 5% reported dissatisfaction with any aspect of anaesthesia-related care. Regional anaesthesia was associated with a reduced burden of side-effects. The incidence of reported AAGA was one in 800 general anaesthetics (0.12%)

Conclusions. Anxiety and discomfort after surgery are common; despite this, satisfaction with anaesthesia care in the UK is high. The inconsistent relationship between patient-reported outcome, patient experience and patient satisfaction supports using all three of these domains to provide a comprehensive assessment of the quality of anaesthesia care.

Key words: anaesthesia; awareness; health care; outcome; patient satisfaction; quality indicators

[†]This Article is accompanied by Editorial Aew384.

Editor's key points

- Patient perspectives of anaesthesia care quality were assessed in a large-scale survey of adult patients receiving anaesthesia in the UK National Health Service.
- Questionnaires were completed by 15,040 patients from 257 hospitals over a 48 h period.
- Although 35% of patients reported severe discomfort, only 5% reported dissatisfaction.
- Despite high patient satisfaction with anaesthesia, there are opportunities for quality improvement in patient experience.

Safety, effectiveness and patient-centeredness have been defined as three key domains of healthcare quality,^{1,2} and performance metrics may assess any of these. Each year, more than 313 million operations take place globally (approximately 42 procedures per 1000 population),³ the majority of which are supported by anaesthesia providers. In high-income countries, deaths directly attributable to anaesthesia are rare, and intra-operative mortality in patients undergoing general anaesthesia (GA) is very low.⁴ However, anaesthesia is associated with other important adverse outcomes including postoperative complications^{5,6} and reduced long-term survival.^{7,8,9} Furthermore, many postoperative symptoms – for example, acute surgical pain – are distressing to patients,^{10,11} can delay hospital discharge,¹² and can lead to chronic health problems,¹³ thereby increasing health and social care costs. Thus, measurement of quality in anaesthesia care provides an opportunity to drive improvement that could affect millions of patients each year and promote healthcare efficiency and productivity.

Patient-reported metrics are increasingly viewed as core quality indicators.² Measures specific to anaesthesia encompass the three aforementioned domains of quality: effectiveness, by assessing procedural-related discomfort which anaesthesia providers aim to alleviate (e.g. pain, drowsiness, nausea); patient-centeredness, by measuring patient satisfaction with care delivered; and safety, through estimating the incidence of events that can lead to significant or long-term harm, such as accidental awareness during general anaesthesia (AAGA). Using measures encompassing all three of these domains, we conducted this study to determine the quality of anaesthesia care from the patient perspective in a UK multicentre sample, in order to identify risk factors for these adverse outcomes, characterise the relationship between patient reported outcome and patient satisfaction, identify targets for research and quality improvement, and improve the information given to future patients.

Methods

This study is reported in accordance with the “Strengthening the Reporting of Observational Studies in Epidemiology” (STROBE) statement.¹⁴ We undertook a two-day multicentre observational cross-sectional study in the UK National Health Service (NHS). The protocol has been published.¹⁵ Ethics approval was granted by the UK National Research Ethics Service (West Midlands Committee, 14/WM/0043). Hospital and investigator engagement was facilitated through the Quality Audit and Research Coordinator (QuARC) network, which was established by the National Institute of Academic Anaesthesia Health Services Research Centre (NIAA-HSRC) to facilitate health

services research in anaesthesia and perioperative care across the UK. All NHS hospitals were invited to participate. The full investigator list can be found in Appendix 1. Patient recruitment took place between 00:00 on 13th May 2014 and 23:59 on 14th May 2014. These days of the week were chosen to maximise opportunities for recruitment of patients, outside weekend working hours and potentially busier workloads on Mondays and Fridays. All adults (≥ 18 yr) undergoing a non-obstetric surgical procedure requiring anaesthesia (local, regional or general) or sedation administered by an anaesthetist were eligible for inclusion; all were provided with information about the study before surgery (see Appendix 1).

Dataset

The patient report form is presented in the Appendix 1. The anaesthetist responsible for each patient's perioperative care completed patient, personnel and process details at the time of surgery. Operation names were entered using free-text by anaesthetists, and subsequently coded by members of the central study team, using a UK-based objective categorisation of surgical procedure type and magnitude.¹⁶ Patients subsequently completed the Bauer patient satisfaction questionnaire¹⁷ and a Modified Brice Questionnaire for AAGA. The Bauer questionnaire was previously identified¹⁸ as being a psychometrically developed and validated measure of patient satisfaction and discomfort. The modified Brice questionnaire uses closed-questions and was adapted from a previous study.¹⁹ Two further questions were asked: the NHS “Friends and Family Test” (would you recommend this anaesthetic service to friends and family?) and a question regarding whether the patient expected to be asleep during their procedure. Reasons for non-completion of patient questionnaires were noted. Obstetric and paediatric populations were excluded from this study as the Bauer questionnaire had not been validated in these settings.

Patient involvement

The Participant Information Sheet was reviewed and amended by a member of the Lay Committee of the Royal College of Anaesthetists; members of the lay committee were also invited to provide feedback on study design and conduct. The Bauer questionnaire was originally developed with patient involvement.

Analysis

Continuous variables are presented as mean (SD) when normally distributed and median (range) when not (normality was assessed using the Stata “sktest” for skewness and kurtosis in large sample sizes). Categorical variables are presented as n (%). Patients missing core variables (operation name, all patient characteristic data or any outcome data) were excluded from all analyses. Baseline characteristics between patients who declined or were unable to complete follow-up questionnaires were compared against those who did consent and complete questionnaires. Our co-primary endpoints were the 10 domains of discomfort in the Bauer patient satisfaction questionnaire.

We explored the relationship between patient and process-related factors and a poor outcome in each of the 15 domains of the Bauer questionnaire. For each of the ten markers of anaesthesia-related discomfort, a poor outcome was defined as a response of “severe” on a 3-point Likert scale (none, moderate, severe); for each of the five patient satisfaction questions, a poor outcome was defined by a response of either ‘Dissatisfied’ or ‘Very dissatisfied’ on a 4-point Likert scale. χ^2 tests were used to

determine the univariate relationship between candidate categorical variables deemed to have plausible associations with poor outcomes in any of these 15 domains; χ^2 test for trend was used with variable with multiple categories. Variables significant at $P < 0.1$ were then entered into separate multivariable logistic regression models for poor outcome, in each of the ten discomfort domains (backward-stepwise method), to calculate adjusted Odds Ratios (OR) with 95% Confidence Intervals (CI). Significance for multivariable models was set at $P < 0.05$. In multiple regression analyses, we used Bonferroni's correction to adjust for multiple comparisons for different outcomes: 10 comparisons for domains of anaesthesia-related discomfort, and five domains of patient-satisfaction; adjusted P values are denoted P' .

A potential case of AAGA was flagged if a patient responded that they remembered something between going to sleep and waking up, or they answered "Awareness" to the question asking them to report the worst thing about their operation. Additionally, all free text responses were screened for responses that could signify AAGA. The local principle investigators for each of these patients were contacted and asked to give their opinion of the likelihood of AAGA for their patients as "probable", "possible", "unlikely" or "un-assessable" according to previously defined criteria,²⁰ (Appendix 1) and using available local data. Two independent assessors (S.R.M. and T.M.C.) then reviewed each potential AAGA patient and classified them again into one of these four likelihood categories. All patients classed by any of the three reviewers as probable or possible AAGA were then discussed in detail by the two independent assessors and a final classification agreed by consensus.

Data were analysed using STATA/IC 12.1 for Mac (StataCorp LP, College Station TX, USA and Microsoft Excel for Mac 2011, Version 14.4.9 (Microsoft Corporation, Redmond, Washington, USA).

Results

Patients were recruited from 257 hospitals within 171 English and Scottish NHS Trusts, Welsh Health Boards and

Northern Irish Health and Social Care Trusts – this represented 97% of NHS acute secondary care organisations providing adult services – 146 of 149 in England (98%),²¹ 13 of 14 (93%) in Scotland,²² six of seven (86%) in Wales²³ and five of five (100%) in Northern Ireland.²⁴ After exclusions, patient characteristics were recorded for 16,222 patients; 15,040 patients answered postoperative questionnaires, giving a response rate of 93% (Fig. 1). Baseline characteristics are shown in Table 1. The commonest reason for non-completion of postoperative questionnaires was that the patient had already been discharged from hospital (388 patients; 2.4%); consent was declined by 310 patients (1.9%) (Appendix 1). Excluding discharged patients, those who did not complete follow-up questionnaires were older and were more likely to have comorbidities or be undergoing urgent or immediate surgery. The median number of patient respondents per hospital was 78 (range 6 – 388). 12,674 (84%) received general anaesthesia. The commonest operations were cystoscopy (782 patients; 5%), cataract surgery (619; 4%) and hernia repair (594; 4%); however, the cohort included 2449 different procedure codes. Data describing perioperative care are summarised in Appendix 1.

Postoperative discomfort

5230 (34.8%; 95% CI 34.0-35.5%) patients reported severe discomfort in at least one domain. The three most prevalent types of severe discomfort were thirst (18.5%; 95% CI 17.8-19.1), pain at the surgical site (11.0%; 10.5-11.5), and drowsiness (10.1%; 9.6-10.5) (Table 2).

Univariate analyses of risk factors for each domain of severe discomfort are reported in Appendix 1. Independent risk factors for severe discomfort across the ten domains of inquiry are presented in Table 3. Non-modifiable risk factors for severe discomfort included younger age, female sex, obesity, previous stroke or transient ischaemic attack, and long-term opioid or neuropathic pain therapy. Female sex was an independent risk factor for six of the ten adverse outcomes. Independent of other factors, there was a significantly lower prevalence of severe postoperative pain and drowsiness associated with using regional anaesthesia alone (that is, nerve block, spinal or epidural anaesthesia or a combination thereof, without general anaesthesia).

Patient experience and satisfaction

Patients most commonly reported anxiety to be the worst thing about their operation (33.3%), followed by pain (16.7%). Analysis of free-text responses identified a number of additional themes including the facilities, staff behaviours, communication, and non-clinical processes such as transport or discharge efficiency. (Table 4)

Patient satisfaction levels were high with only 5.7% of patients reporting being dissatisfied or very dissatisfied with any aspect of their care (Table 5). 99% of the patients who responded to the NHS Friends and Family Test (FFT) stated they would recommend the anaesthesia service; 5% did not respond. Two patient or procedural risk factors independently predicted that a patient would not recommend the service to friends or family: long-term opioid use (11% of patients; odds ratio [OR] 1.98, 95% confidence interval [CI] 1.24-3.15; $P < 0.004$), and a history of congestive cardiac failure (2% of patients; OR 2.80, 95% CI 1.29-6.05; $P < 0.009$). Multivariable analysis adjusting for these non-modifiable risk factors found that the following types of severe discomfort predicted that the patient




Table 1 Baseline patient characteristics comparing respondents and non-respondents (n = 16,222) [P values corrected (P') for 20 comparisons between groups of surgical specialty]

Patient characteristics	Respondents (n = 15,040)	Non-respondents (n = 1,182)	P value
Sex (M/F) (% M)	6,696/8,344 (45)	551/631 (47)	0.163
Age, yr (range)	55 (18 – 100)	57 (18–98)	<0.001
ASA n (%)			<0.001
I	4,995 (33)	305 (26)	
II	7,208 (48)	450 (38)	
III	2,646 (18)	345 (29)	
IV	178 (1)	79 (7)	
V	3 (0.02)	3 (0.3)	
Surgical specialties, n (%)			P' value
Orthopaedics	4,000 (27)	251 (21)	<0.002
Gynaecology	1,946 (13)	122 (10)	0.12
Abdomen (gut)	1,818 (12)	144 (12)	0.96
Urology	1,802 (12)	143 (12)	0.94
Head and neck	1,251 (8)	102 (9)	0.75
Ophthalmology	984 (7)	105 (9)	0.04
Body surface (breast)	699 (5)	46 (4)	0.26
Abdomen (hepatobiliary)	496 (3)	41 (3)	0.99
Body surface (other)	438 (3)	28 (2)	0.8
Vascular	352 (2)	27 (2)	0.99
Dental	305 (2)	30 (3)	0.8
Neurosurgery	270 (2)	41 (3)	0.02
Cardiac	251 (2)	53 (4)	<0.002
Endoscopy	132 (0.9)	19 (2)	<0.004
Thoracic	131 (0.9)	17 (1)	0.18
Endocrine	55 (0.4)	1 (0.08)	0.36
Interventional radiology	43 (0.3)	24 (2)	<0.002
Abdomen (bariatric)	36 (0.2)	3 (0.3)	0.99
Transplant	22 (0.1)	3 (0.3)	0.89
Abdomen (endocrine)	9 (0.06)	1 (0.08)	0.74
Surgical urgency, n (%)			<0.001
Elective	12,008 (80)	809 (69)	
Expedited	1,436 (10)	129 (11)	
Urgent	1,532 (10)	222 (19)	
Immediate	64 (0.4)	22 (2)	
Surgical severity, n (%)			0.060
Minor	2,550 (17)	161 (14)	
Intermediate	5,709 (39)	458 (40)	
Major	4,476 (30)	356 (31)	
Complex	2,036 (14)	165 (14)	
Comorbidities, n (%)			
Congestive cardiac failure	320 (2)	54 (5)	<0.001
Previous stroke/TIA	572 (4)	84 (7)	<0.001
Cancer within past 5 yr	1,816 (12)	166 (14)	0.047
Obesity (BMI ≥ 30)	3,258 (22)	229 (19)	0.065
Long-term medications, n (%)			
Opiates/opioids	1,514 (10)	131 (11)	0.261
NSAIDs/COX inhibitors	1,331 (9)	81 (7)	0.019
Benzodiazepines	433 (3)	39 (3)	0.405
Neuropathic pain medications	883 (6)	71 (6)	0.845

would not recommend the service to friends and family: pain (OR 2.73, 95% CI (1.81 – 4.13); $P' < 0.0005$) and PONV (OR 3.78, 95% CI 2.11–6.78; $P' < 0.0005$).

Accidental awareness during general anaesthesia (AAGA)

3.6% (95% CI 3.3–3.9%) of patients undergoing GA were not expecting to be asleep for surgery; conversely, 4.0% (3.7–4.3%) of patients expecting to be asleep were not administered a GA. There was no association between receiving a different type of anaesthetic to that expected, and reporting dissatisfaction with general care, waking or preoperative information sharing; after the review of 338 patients (2.7% of GAs; 95% CI 2.4–2.9%) identified as potential cases of AAGA, 15 patients (0.12% of GAs; 95% CI 0.1–0.2%) were classified as having had either probable (one patient) or possible (14 patients) AAGA, an event rate of approximately 1 in 800. AAGA was related to emergence from anaesthesia (removal of tracheal tube) in six of these patients. One patient reported dissatisfaction with their wake-up from anaesthesia: they experienced pain, being unable to move or breathe and hearing voices during surgery. Two patients reported feeling the surgery but without pain. Regression analysis did not identify any independent risk factors for probable or certain AAGA.

Discussion

This comprehensive national snapshot of patient-reported outcome shows high levels of satisfaction with anaesthesia care delivered by NHS hospitals. However, there is a striking disconnect between high levels of patient satisfaction and the substantial burden of perioperative symptoms. Severe discomfort in at least one domain was reported by 35% of respondents. The commonest symptom was severe thirst, but this did not predict patient dissatisfaction. Severe pain, drowsiness, sore throat and PONV predicted dissatisfaction with anaesthesia services; however, 99% of patients who responded indicated that they would recommend the service to friends and family. Anxiety and pain were both common and had impact on patient experience, and provide important targets for research and quality improvement. These data can also be used to improve the information provided to patients before surgery and anaesthesia, hence helping to meet and manage patient expectations of their perioperative outcomes and experience. AAGA was uncommon and when it did occur, in only one of 15 patients was it associated with short-term distress or dissatisfaction. Overall, these findings demonstrate the importance of measuring quality from several aspects (safety, experience, outcome) in order to contextualise findings and appropriately focus future efforts to improve care.

The inconsistent relationship we found between satisfaction, safety and effectiveness contradicts the findings of a recent systematic review.²⁵ There are several possible explanations for this. Our study focused on a particular aspect of hospital treatment – perioperative care evaluated within 24 h of surgery – which has not previously been investigated in a comprehensive multicentre cohort.^{18,25} However, our findings are consistent with previous single centre studies in this setting.^{17,26} While symptoms such as severe postoperative thirst are common, they may simply be less distressing than those linked with patient dissatisfaction such as pain, nausea and vomiting, or sore throat; it may also be that patients are more prepared for some symptoms than others, through better preoperative communication with healthcare professionals.²⁷ The discrepancy between the prevalence of different domains of discomfort and their impact on patient satisfaction highlights the importance of measuring both symptoms and experience when

Table 2 Anaesthesia related discomfort [n(%)]

Anaesthesia-related discomfort	None	Moderate	Severe
Thirst			
Number	4,358	7,711	2,776
Percentage (95% CI)	30.0 (28.3-29.7)	51.3 (50.5-52.1)	18.5 (17.8-19.1)
Drowsiness			
Number	5,193	8,131	1,513
Percentage (95% CI)	34.5 (33.8 – 35.4)	54.1 (53.3-54.9)	10.1 (9.6-10.5)
Pain at surgical site			
Number	7,600	5,600	1,652
Percentage (95% CI)	50.5 (49.7-51.3)	37.2 (36.5-38.0)	11.0 (10.5-11.5)
Hoarseness			
Number	9,769	4,418	526
Percentage (95% CI)	65.0 (64.2-65.7)	29.4 (28.7-30.1)	3.5 (3.2-3.8)
Sore Throat			
Number	10,353	3,955	495
Percentage (95% CI)	68.83 (68.1-69.6)	26.3 (26.6-27.0)	3.29 (3.0-3.58)
Cold			
Number	11,333	2,859	666
Percentage (95% CI)	75.4 (74.7-76.0)	19.0 (18.4-19.6)	4.43 (4.1-4.8)
Nausea and vomiting			
Number	12,357	1,996	476
Percentage (95% CI)	82.2 (81.6-82.8)	13.3 (12.7-13.8)	3.2 (2.9-3.4)
Confusion			
Number	12,409	2,174	189
Percentage (95% CI)	82.5 (82.0-83.1)	14.5 (13.9-15.0)	1.3 (1.1-1.4)
Shivering			
Number	12,782	1,635	410
Percentage (95% CI)	85.0 (84.4-85.6)	10.9 (10.4-11.4)	2.7 (2.5-3.0)
Pain at injection site			
Number	12,856	1,734	194
Percentage (95% CI)	85.5 (84.9-86.0)	11.5 (11.0-12.0)	1.3 (1.1-1.5)

evaluating patient-centred outcomes for the purposes of quality improvement. It is notable that most patients who were categorised as potential AAGA patients did not report dissatisfaction with the care delivered. This may be because our estimate was inaccurate, because a low event rate meant that we missed a significant relationship between AAGA and other risk factors or outcomes, because the distressing consequences of AAGA may not become apparent until much later,²⁸ or because dissatisfaction after an episode of AAGA is more likely to be associated with the manner in which complaints or concerns are later handled than with the event of AAGA itself.²⁹

Analyses identifying risk factors for adverse outcomes should be interpreted with the same caution as in all observational studies. Our data are hypothesis-generating rather than explanatory, and confounding by indication could be responsible for some reported associations – for example between administration of morphine and severe postoperative pain.³⁰ Acknowledging these caveats, our findings nevertheless point towards opportunities for future research and improvement efforts. Low-risk interventions such as music therapy, which has been shown to reduce perioperative anxiety and pain,³¹ might improve experience for substantial numbers of patients without incurring major cost. The most common type of postoperative discomfort reported was thirst; this could be locally investigated through evaluation of preoperative starvation times, intraoperative fluid and drug regimens and possibly addressed through rapid re-establishment of oral fluids after

surgery where possible.³² More than half of patients reported severe or moderate surgical pain: this is a particularly important target for research and quality improvement, as improving acute pain management might also reduce the risk of chronic pain,¹³ which is both distressing for patients and carries significant societal burden.³³ Furthermore, this has recently been highlighted as a research priority by patients, public and health-care professionals in the UK.³⁴ Although the incidence of suspected AAGA in this cohort is consistent with studies using similar methods to elicit explicit recall of intraoperative events,³⁵ in nearly half of these patients, the episode of awareness occurred during removal of a tracheal tube. However, recent reports have highlighted late psychological harm as a result of awareness during emergence from anaesthesia,²⁸ hence we have included these patients in our estimate of AAGA incidence, where older studies have not.³⁶

The major strength of this study is the size and distribution of the sample. 97% of eligible NHS organisations contributed data, and the patient response rate was high. This comprehensive hospital participation is unusual compared with previous large-scale point-prevalence studies.^{37,38} Professional engagement was facilitated by establishing a network of investigators to support research and quality improvement; furthermore, and following the example set by surgical trainee research networks,³⁹ junior doctors and students were encouraged to become investigators for this study, hence supporting study delivery at a local level. This networked approach to health

Table 3 Factors independently (on multivariable analysis) associated with severe postoperative discomfort. Odds ratios (95% CI); $P < 0.01$ unless otherwise stated [$P = P$ corrected for 10 comparisons using Bonferroni's correction]

Risk factor	Thirst	Pain at surgical site	Drowsiness	Hoarseness	Sore throat	Cold	PONV	Confusion	Shivering	Pain at injection site
NON-MODIFIABLE FACTORS										
Female sex	1.32 (1.22-1.45)	1.73 (1.55-1.96)	1.70 (1.51-1.91)		1.52 (1.25-1.84)	2.69 (2.24-3.23)	2.77 (2.22-3.45)		0.68 (0.52-0.88)	
BMI > 30						0.58 (0.47-0.72)	1.41 (1.15-1.72)		$P = 0.04$	
Age 18-65		1.27 (1.12-1.43)	1.25 (1.10-1.41)			1.40 (1.17-1.68)	1.57 (1.27-1.94)		1.95 (1.53-2.49)	
Age ≥ 80			$P = 0.01$							
Previous TIA/CVA	0.76 (0.63-0.90)					1.69 (1.17-2.44)				
						$P = 0.05$				
Long-term opioids						1.48 (1.17-1.88)			1.52 (1.14-2.04)	
						$P = 0.01$			$P = 0.04$	
Long-term neuropathic agents	1.48 (1.25-1.74)									
ASA grade [Reference: ASA grade I]										
III	1.43 (1.25-1.63)									
IV or V	2.65 (1.89-3.71)									
Urgent/immediate surgery	1.22 (1.07-1.39)	1.35 (1.16-1.59)	1.35 (1.15-1.58)					3.49 (2.50-4.81)		
Surgical type										
Neurosurgery	0.61 (0.45-0.83)									
	$P = 0.01$									
Urology	0.70 (0.59-0.81)	0.69 (0.55-0.87)	0.66 (0.53-0.82)							
	0.47 (0.30-0.75)									
	$P = 0.01$									
Ophthalmology	0.45 (0.34-0.59)									
Cardiac										
Head and Neck		2.01 (1.45-2.80)	2.14 (1.53-3.01)		1.85 (1.44-2.38)					
					$P = 0.01$					
Thoracic					3.38 (1.84-6.19)					
Magnitude of surgery [Reference variable: minor surgery]										
Major								2.75 (1.46-5.16)		
								$P = 0.02$		
Complex								3.33 (1.69-6.55)		
								$P = 0.01$		
Major or complex surgery	1								1.47 (1.20-1.81)	
Duration of surgery [Reference variable: <30min(m)]										
30-60m	1.26 (1.10-1.43)	1.68 (1.40-2.00)	1.54 (1.30-1.84)							
60-120m	1.31 (1.13-1.52)	2.63 (2.18-3.15)	2.47 (2.07-2.94)							
>120m	1.66 (1.40-1.98)	3.18 (2.58-3.92)	3.06 (2.52-3.70)							
MODIFIABLE FACTORS										
Anaesthetic technique										
Inhalation GA										
Total i.v. GA	1.42 (1.25-1.61)									
Sole RA without GA		0.27 (0.19-0.37)								
Pharmacological agents administered during anaesthesia and surgery										
Neuromuscular block	1.85 (1.68-2.04)									
Morphine	1.20 (1.09-1.32)	1.44 (1.28-1.63)	1.46 (1.31-1.66)		2.96 (2.41-3.64)				0.71 (0.57-0.90)	
									$P = 0.05$	
Alfentanil									0.50 (0.31-0.80)	
									$P = 0.04$	
Cyclizine										

Table 4 Responses to the question: "What was the worst thing about your operation?" (total responses: n = 13,985)

Response	Number of patients	Percentage	95% CI
Anxiety	4,653	33.3	32.3-34.1
Pain	2,333	16.7	16.1-17.3
Unable to carry out usual activities	1,785	12.8	12.2-13.3
Recovery process	920	6.6	6.2-7.0
Awareness	136	1.0	0.8-1.1
Nothing	2,034	14.5	14.0-15.1
Other (thematic analysis)	2,124	15.6	14.6-15.8
• Environment/facilities (waiting times/recovery)			
• Emotional wellbeing (anticipation/anxiety/circumstances of surgery)			
• Procedure specifics (cannulation/regional)			
• Symptoms (hunger, thirst, cold, pain)			
• Staff (professionalism/quality of care)			
• Communication (changes to planned surgery/pre-op discussion)			
• Process (transport, discharge)			

Table 5 Satisfaction with care

Domain	Very Satisfied	Satisfied	Dissatisfied	Very dissatisfied	Not applicable
Pain therapy (n = 14,403)	8,879	4,986	414	108	16
Number	61.6	34.6	2.9	0.8	0.1
Percentage (95% CI)	(60.9-62.4)	(33.8-35.4)	(2.6-3.1)	(0.6-0.9)	
PONV therapy (n = 12,161)	8,652	3,271	117	33	88
Number	71.1	26.9	0.8	0.3	0.7
Percentage (95% CI)	(70.3-71.9)	(26.1-27.7)	(0.7-1.0)	(0.2-0.4)	
Preoperative information (n = 14,943)	12,458	2,373	58	52	2
Number	83.4	15.9	0.4	0.4	0.01
Percentage (95% CI)	(82.7-84.0)	(15.2-16.5)	(0.3-0.5)	(0.3-0.5)	
Waking up (n = 14,092)	9,416 (67)	4,360	194	78	44
Number	66.8	31.0	1.4	0.6	0.3
Percentage (95% CI)	(66.0-68.7)	(30.1-31.8)	(1.2-1.6)	(0.4-0.7)	
General care (n = 14,922)	12,773	2,065	31	51	2
Number	85.6	13.8	0.2	0.3	0.013
Percentage (95% CI)	(85.0-86.2)	(13.8-14.5)	(0.1-0.3)	(0.2-0.4)	

services research delivery provides a useful template that might be replicated in other settings. There are, however, some limitations. Although comparison with previous NHS activity data⁴ indicates that we have captured nearly all eligible patients during our recruitment window, a relatively small proportion of procedures (10%) were classified as either urgent or immediate, and non-respondents were also higher risk in terms of comorbidities and age: this is likely to reflect recruitment bias, and could have affected our findings. It is possible that we did not capture all patient or process-related risk factors for adverse outcomes: these are potential additional sources of confounding in our analyses. We did not include ethnicity in our dataset; other studies have found variation in patient satisfaction⁴⁰ or patient expectation⁴¹ according to ethnicity. This might also be an important issue when considering the international

generalizability of our findings. Finally, our methodology for determining whether patients experienced AAGA had limitations. It was clear from follow-up that for some patients, the term "awareness" carried a different meaning to that intended. This provides some explanation for the high false positive rate for the modified Brice questionnaire, and might indicate that its specificity is too poor to be used in routine clinical practice. We did not conduct three administrations of the Brice questionnaire as would normally be recommended; nor did we specify the method of follow-up of suspected AAGA patients by local investigators. These factors might have led to inaccuracy in our estimate of AAGA incidence.

In summary, we calculated a robust multicentre evaluation of patient perspectives on anaesthesia care in NHS hospitals. We found that while patient satisfaction was high, one in three

patients reported severe discomfort within 24 h of surgery. Anxiety was most commonly reported as the worst aspect of the surgical episode: this finding supports wider implementation and evaluation of simple, cost-effective, evidence-based anxiolytic interventions. Routinely reported quality data should cover all three aspects of safety, experience and outcome, so as to provide a comprehensive assessment of care from the patient perspective. International replication of our methodology would provide data supporting improved performance and outcome in different healthcare settings, and enable comparisons that might further elucidate the role of organisational and cultural factors on patients' perspective of quality in anaesthesia care.

Authors' contributions

Study design/planning: S.R.M., E.M.K.W., M.B.

Study conduct: S.R.M., E.M.K.W., M.B.

Data analysis: S.R.M., E.M.K.W., M.P.W.G., T.M.C.

Writing paper: S.R.M., E.M.K.W.

Revising paper: all authors

Acknowledgements

We are grateful to our collaborators, the SNAP-1 investigators; the full list of contributors can be found in Appendix 1.

Declaration of interest

All authors have completed the ICMJE uniform disclosure at <http://icmje.org/conflicts-of-interest/> and declare: financial support for the submitted work from the National Institute for Academic Anaesthesia (NIAA; Royal College of Anaesthetists), University College London Hospitals (UCLH) NHS Foundation Trust and UCLH National Institute for Health Research Biomedical Research Centre. In addition, S.R.M. has received other unrelated research grants from the NIAA, the UCLH NIHR Biomedical Research Centre and the Health Foundation. S.R.M. (since May 2016) is the Associate National Director for Elective Care for NHS England. E.M.K.W. received salary support from the London Clinic Intensive Care Unit while analysing this study. M.P.W.G. receives funding from the Southampton NIHR Biomedical Research Unit (Respiratory). There are no other relationships or activities that could appear to have influenced the submitted work.

Funding

National Institute for Academic Anaesthesia (Royal College of Anaesthetists), University College London Hospitals (UCLH) NHS Foundation Trust and NIHR Biomedical Research Centre at University College London Hospitals NHS Foundation Trust and University College London. The funders have had no role in the conduct, analysis or reporting of the results.

References

1. Institute of Medicine. *Crossing the Quality Chasm: A New Health System for the 21st Century*. Washington D.C., U.S.: National Academy Press, 2001
2. Darzi A. *High Quality Care For All: NHS Next Stage Review final report*. London, UK: The Stationery Office, Department of Health, 2008b. Available from https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/228836/7432.pdf (accessed 10 November 2015)
3. Weiser TG, Haynes AB, Molina G, et al. Estimate of the global volume of surgery in 2012: an assessment supporting improved health outcomes. *Lancet* 2015; **385**: S11
4. Sury MRJ, Palmer Jhmg Cook TM, Pandit JJ. The State of UK anaesthesia: a survey of National Health Service activity in 2013. *Br J Anaesth* 2014; **113**: 575–84
5. Pearse RM, Harrison DA, MacDonald N, et al. Effect of a perioperative, cardiac output-guided hemodynamic therapy algorithm on outcomes following major gastrointestinal surgery: a randomized clinical trial and systematic review. *JAMA* 2014; **311**: 2181–90
6. Rigg JR, Jamrozik K, Myles PS, et al. Epidural anaesthesia and analgesia and outcome of major surgery: a randomised trial. *Lancet* 2002; **359**: 1276–82
7. Moonesinghe SR, Harris S, Mythen MG, et al. Survival after postoperative morbidity: a longitudinal observational cohort study. *Br J Anaesth* 2014; **113**: 977–84
8. Rhodes A, Cecconi M, Hamilton M, et al. Goal-directed therapy in high-risk surgical patients: a 15-year follow-up study. *Intensive Care Med* 2010; **36**: 1327–32
9. Wigmore TJ, Mohammed K, Jhanji S. Long-term survival for patients undergoing volatile versus IV anaesthesia for cancer surgery: a retrospective analysis. *Anesthesiology* 2016; **124**: 69–79
10. Macario A, Weinger M, Truong P, Lee M. Which clinical anaesthesia outcomes are both common and important to avoid? The perspective of a panel of expert anesthesiologists. *Anesth Analg* 1999; **88**: 1085–91
11. Macario A, Weinger M, Carney S, Kim A. Which clinical anaesthesia outcomes are important to avoid? The perspective of patients. *Anesth Analg* 1999; **89**: 652–8
12. Grocott MP, Browne JP, Van der Meulen J, et al. The Postoperative Morbidity Survey was validated and used to describe morbidity after major surgery. *J Clin Epidemiol* 2007; **60**: 919–28
13. Kehlet H, Jensen TS, Woolf CJ. Persistent postsurgical pain: risk factors and prevention. *Lancet* 2006; **367**: 1618–25
14. von Elm E, Altman DG, Egger M, Pocock SJ, Gotsche PC, Vandenbroucke JP. The Strengthening of Reporting of Observational Studies in Epidemiology (STROBE) statement: guidelines for reporting observational studies. *J Clin Epidemiol* 2008; **61**: 344–9
15. Moonesinghe SR, Walker EM, Bell M. Design and methodology of SNAP-1: a Sprint National Anaesthesia Project to measure patient reported outcome after anaesthesia. *Perioper Med (Lond)* 2015; **4**: 4 doi: 10.1186/s13741-015-0011-2. eCollection 2015
16. AXA-PPP Healthcare. Schedule of Procedures and Fees for Fee Approved Specialists. 2015. Available from <https://online.axapphealthcare.co.uk/SpecialistForms/SpecialistCode.mvc?source=contracted> (accessed 10 November 2015)
17. Bauer M, Bohrer H, Aichele G, Bach A, Martin E. Measuring patient satisfaction with anaesthesia: perioperative questionnaire versus standardised face-to-face interview. *Acta Anaesthesiologica Scandinavica* 2001; **45**: 65–72
18. Barnett SF, Alagar RK, Grocott MP, Giannaris S, Dick JR, Moonesinghe SR. Patient-satisfaction measures in anaesthesia: qualitative systematic review. *Anesthesiology* 2013; **119**: 452–78
19. Avidan MS, Jacobsohn E, Glick D, et al. Prevention of intraoperative awareness in a high-risk surgical population. *N Engl J Med* 2011; **365**: 591–600

20. Pandit JJ, Andrade J, Bogod DG, et al. 5th National Audit Project (NAP5) on accidental awareness during general anaesthesia: protocol, methods, and analysis of data. *Br J Anaesth* 2014; **113**: 540–8
21. NHS Confederation. Key statistics on the NHS. 2016. Available from <http://www.nhsconfed.org/resources/key-statistics-on-the-nhs> (accessed 1 July 2016)
22. The Scottish Government. Structure of NHS Scotland. 2016. Available from <http://www.gov.scot/Topics/Health/About/NHS-Scotland> (accessed 1 July 2016)
23. NHS Wales. Health in Wales. 2016. Available from <http://www.wales.nhs.uk/nhs-wales/about-us/structure> (accessed 1 July 2016)
24. Health and Social Care Online, Health and Social Care Trusts. 2015. Available from <http://online.hscni.net/hospitals/health-and-social-care-trusts/> (accessed 1 July 2016)
25. Doyle C, Lennox L, Bell D. A systematic review of evidence on the links between patient experience and clinical safety and effectiveness. *Br Med J Open* 2013; **3**: e001570. doi: 10.1136/bmjopen-2012-001570
26. Myles PS, Williams DL, Hendrata M, Anderson H, Weeks AM. Patient satisfaction after anaesthesia and surgery: results of a prospective survey of 10,811 patients. *Br J Anaesth* 2000; **84**: 6–10
27. Hamilton DF, Lane JV, Gaston P, et al. What determines patient satisfaction with surgery? A prospective cohort study of 4709 patients following total joint replacement. *Br Med J Open* 2013; **3**: e001570 doi: 10.1136/bmjopen-2012-001570.
28. Pandit JJ, Andrade J, Bogod DG, et al. 5th National Audit Project (NAP5) on accidental awareness during general anaesthesia: summary of main findings and risk factors. *Br J Anaesth* 2014; **113**: 549–59
29. Kent CD, Posner KL, Mashour GA, et al. Patient perspectives on intraoperative awareness with explicit recall: report from a North American anaesthesia awareness registry. *Br J Anaesth* 2015; **115**: i114–21
30. Signorello LB, McLaughlin JK, Lipworth L, Friis S, Sorensen HT, Blot WJ. Confounding by indication in epidemiologic studies of commonly used analgesics. *Am J Ther* 2002; **9**: 199–205
31. Hole J, Hirsch M, Ball E, Meads C. Music as an aid for postoperative recovery in adults: a systematic review and meta-analysis. *Lancet* 2015; **386**: 1659–71
32. Levy N, Mills P, Mythen M. Is the pursuit of DREAMing (drinking, eating and mobilising) the ultimate goal of anaesthesia? *Anaesthesia* 2016; **71**: 1008–12
33. Breivik H, Eisenberg E, O'Brien T. The individual and societal burden of chronic pain in Europe: the case for strategic prioritisation and action to improve knowledge and availability of appropriate care. *BMC Public Health* 2013; **13**: 1229
34. Boney O, Bell M, Bell N, et al. Identifying research priorities in anaesthesia and perioperative care: final report of the joint National Institute of Academic Anaesthesia/James Lind Alliance Research Priority Setting Partnership. *Br Med J Open* 2015; **5**: e010006 doi: 10.1136/bmjopen-2015-010006.
35. Sandin RH, Enlund G, Samuelsson P, Lennmarken C. Awareness during anaesthesia: a prospective case study. *Lancet* 2000; **355**: 707–11
36. Myles PS, Leslie K, McNeil J, Forbes A, Chan MT. Bispectral index monitoring to prevent awareness during anaesthesia: the B-Aware randomised controlled trial. *Lancet* 2004; **363**: 1757–63
37. Magill SS, Edwards JR, Bamberg W, et al. Multistate point-prevalence survey of health care-associated infections. *N Engl J Med* 2014; **370**: 1198–208
38. Pearse RM, Moreno RP, Bauer P, et al. Mortality after surgery in Europe: a 7 day cohort study. *Lancet* 2012; **380**: 1059–65
39. Pinkney TD, Calvert M, Bartlett DC, et al. Impact of wound edge protection devices on surgical site infection after laparotomy: multicentre randomised controlled trial (ROSSINI Trial). *Br Med J* 2013; **347**: f4305
40. Woods SE, Bivins R, Oteng K, Engel A. The influence of ethnicity on patient satisfaction. *Ethn Health* 2005; **10**: 235–42
41. Mead N, Roland M. Understanding why some ethnic minority patients evaluate medical care more negatively than white patients: a cross sectional analysis of a routine patient survey in English general practices. *Br Med J* 2009; **339**: b3450

Appendix 1

Central SNAP-1 Organisation

Chief Investigator

S Ramani Moonesinghe

Trainee Lead Investigator

Eleanor MK Walker

Study Coordinator

Madeline R Bell

National Institute of Academic Anaesthesia

Sharon Drake
Mary Casserly
Dimitri Papadimitriou
Jose Lourtie
Martin Leuwer

National Institute of Academic Anaesthesia's Health Services Research Centre

Michael PW Grocott
Jonathan Benn
Timothy M Cook
Dave Murray
Charles Matthew Oliver
Rupert M Pearse
David Saunders
Annie Simpson

UCL/UCLH Surgical Outcomes Research Centre

Oliver Boney
Sarah Barnett
Michael Galsworthy
Michael G Mythen

Net Solving Ltd

Martin Cripps
Paul Cripps

Rayzume Ltd

Jon Fuller

Research and Audit Federation for Trainees

Thomas Clark^g
Benjamin Harris^e
Charlotte Smallⁱ
Jason Lie^c

National Study Groups

^{*}indicates Local Lead Investigator for a Trust / Health Board

Trainee Research Networks

^aindicates membership of AARMY

(Anaesthetic Audit and Research Matrix of Yorkshire)

^bindicates membership of INCARN.NET

(Intensive Care and Anaesthesia Research Network North East Trainees)

^cindicates membership of NWRAG

(North-West Research and Audit Group)

^dindicates membership of SHARC

(South Yorkshire Hospitals Audit and Research Collaborative)

^eindicates membership of SPARC

(South coast Perioperative Audit and Research Collaborative)

^findicates membership of STAR

(Severn Trainees Anaesthetic Research group)

^gindicates membership of SWARM

(South West Anaesthesia Research Matrix)

^hindicates membership of WAAREN

(Welsh Anaesthesia Audit and Research Engagement Network)

ⁱindicates membership of WM TRAIN

(West Midlands Trainee Research in Anaesthesia and Intensive care Network)

Northern Ireland

Belfast Health and Social Care Trust
Mona Behraves
Joanne Colgan*
Eva Corcoran
Samuel Dawson
Andrew Eggleton
Grainne Fitzpatrick
Denver Glasgow
Mary Clare Kelly*
Barbara MacAfee
Killian McCourt*
Claire Montgomery
Alexandra Murphy
Gareth Paul
James Quinn
Lloyd Turbitt
Alison White
Callum Wilson*

Northern Health and Social Care Trust

David Johnston
Kumar Manmadha Kada-Venkata*
Helen Lindsay
Geoffrey Wright*

Western Health and Social Care Trust

Vinanti Cherian*
William Holmes
Nauman Iftikhar
Eireann Kerr
Muhammad Usman Latif*
Madalina McCrea
Karen Orr
Paula Claire Pyper

South Eastern Health and Social Care Trust

Paul Foley*
Lori Lindsay
Simon Marcus
Helen Murray

Nicola Wallace

Southern Health and Social Care Trust

Patricia Anagnostides
Rebecca Barr
Gail Browne*
Lisa Clarke
Rachel Copeland

Scotland

NHS Ayrshire & Arran

Andrew Clark
Susan Livingstone
Michael McLaughlin
Joellene Mitchell*
Peter O'Brien*
Ker Wei Tan

NHS Dumfries & Galloway

Alexander Arthur
Naomi Cassells
Vivien Edwards*
Benjamin Vowles

NHS Fife

Linsey Burd
Simon Chillingworth
Sarah Fadden
Rachel Gill
Katie Hunter*
Savini Wijesingha

NHS Forth Valley

Deirdre Conway
Stephen Hickey
Yuvaraj Kummur
Srikanth Lakshminarayan
Reza Noori
Monojit Paul
Azfer Usmani*

NHS Grampian

Adriana Botello
Jill Davidson
Bianca Ebtehadj
Callum Kaye
Naveen Kirodian
R Nanda Kumar
Andrew Laurie
Amr Mahdy*
Aimee Meechan
Bahadur Niazi
Louise Peet

NHS Greater Glasgow & Clyde

Ravi Agaram
Rajib Ahmed
Thomas Ballantyne

Julie Campbell
Anna Cormack
Richard Cowan
Barbara A. Crooks*
Rachel Darling
John Dolan
Nicola Doody
Rachel Fulton
Michael Gardner
Adam Glass
Stuart Hannah
Roderick Hamilton*
Johann Harten*
Sue Hutton
Rebecca Jadhav
Kenneth James
Kerry Litchfield
Adam Livingston
Katherine Livingstone
Eilidh MacDonald
Naomi May
Myra McAdam
Elizabeth McGrady
Rhys Millington
Dalia Mitra
Jane Morrison
Helen Rhodes
Emma Rhodes
Drew Smith
Manfred Staber*
Vanessa Vallance
Daphne Varveris*
Douglas Walker*
Louise Welsh
Simon Young

NHS Highland

Jayne Halcrow
Jacqueline Howes*
Emily Robertson
David Robinson*

NHS Lanarkshire

Ali Atrah
Roddy Chapman*
Jonathan Edgar*
Juan Escuder*
Sumit Gajree
Keith Hodgson
Chris Lochrin
Christopher Love
Naveeta Maini
Mark Mifsud
Ayman Mustafa
Khaled Razouk*
Jose Soriano
Dominic Strachan
Tamas Szelei
Ruth Taggart

NHS Lothian

R Peter Alston*

Mohammad Zeshan Bhatti
 Ellie Cox
 Vanessa Humphrey
 Faisal Jafar
 Keith Kelly
 Evangelia Matiaki
 Stuart McLellan
 John McLenachan
 Laura McRae
 Martin Slattery
 Catriona Williamson

NHS Orkney

Paul Cooper*
NHS Shetland
 Catriona Barr*
 Keh Wei Kong
NHS Tayside
 Elizabeth Broadbent
 Natalie Clark
 May Mok*
 Shirley Moore

NWTCB Golden Jubilee National Hospital

Stefan Schraag*
 Firas Abu-Eishe
 Bhushan Joshi
 Isma Quasim

Wales

Abertawe Bro Morgannwg University Health Board

Paul Carter
 Benjamin O Donovan
 Benjamin Eagle
 James Farrant^h
 Maryna Garmash
 Jishar Abdul Kader
 Bethan Morris
 Shilpa Rawat*
 Robin Spacie
 Ramakrishna Suresha
 Gareth Taylor
 Thomas White
 Viju Varadarajan*
Aneurin Bevan Health Board
 Timothy Alce
 Lowri Bowen
 Kevin Draper^h
 Rebecca Jackson
 Karen Meacher
 Samuel Thomas Meinrad Sheppard
 Thomas Morgan-Jones*
 James Tozer*

Betsi Cadwaladr University Health Board

Justine Angrave
 Craig Beaton^h
 Gillian Bennett
 Stephan Clements*
 Naomi Daws

Chris Goodman
 Bethan Griffiths
 Elizabeth Jones
 Stanley Jose
 Nia Kelly
 Piotr Kucharski
 Chris Littler*
 Muthuraja Marimuthu
 Doug Morgan
 Richard Pugh*
 Keivn Rafferty
 Nirojan Sivapathasundararajah

Cardiff and Vale University Health Board

Ceri Beynon
 Poonam Bopanna
 Clare Dallimore
 Hywel Evans
 Naomi Goodwin*
 Laura Jackson^h
 Kathryn Lloyd-Thomas
 Zarah Paris
 Anthony Short
 Navneet Sinha
 Mari Thomas

Cwm Taf Health Board

Megan Burton
 Louise Elliott
 Najia Hasan^h
 Valerie Hilton*
 Kathryn James
 Jessica Laura Lowe
 Anna Musgrave^h
 Omar Alex Pemberton*
 Katie Ross
 Rosie Scott

Hywel Dda Health Board

Sunita Agarwal*
 Brian Campbell*
 Stuart Gill*
 Peter Havalda
 Rhiannon Lewis
 Christopher Nwaefulu
 Vanie Rajesh
 Abdulaziz Refaet
 Shan Sekaran
 Gopinath Selvaraj
 Norbert Skarbit
 Alun Thomas
 Edward Todd
 Adam Wood

England

Aintree University Hospitals NHS Foundation Trust

Liz Clark
 Sarah El Sheikha
 Sam Howitt
 Andrew Langdon

Simon Mercer
Dermot Moloney*
Mari Roberts
Ravish Shetty
Emma Welfare

Airedale NHS Foundation Trust

Shivanandaswamy Kashimutt
Wendy Lum Hee*
Claire Kurasz
Paul Underwood ^a

Ashford and St Peter's Hospitals NHS Foundation Trust

Melinda Brazier
Sam De Silva
Samson Ma
Louise McDevitt
Katharine O'Rourke
Tasmin Patel
David Robinson*
Vatshalan Santhirapala
Oliver Sykes
Yize Wan

Barking, Havering and Redbridge University Hospitals NHS Trust

Ritesh Ganesh
Mahir Khalil
Hannah Lewis
Shabir Qadri*
Nadeem Shakir
Sheelaj Sharma

Barnet and Chase Farm NHS Hospitals Trust

Kakali Chattopadhyay
Nicolas Hooker
Rajeev Jha*
Janine Mawby
James Parry
Raj Shah
Evan Wild
James Thomas

Barnsley Hospital NHS Foundation Trust

Oliver Ashby
Sunil Kumar Chaurasia*^d
Rory Colhoun ^d
Elinor Cromarty ^d
Dawn Johnson
Wei Yang Low ^d

Barts and The London NHS Trust

Jose Bastos
Christopher Broomhead
Lorell Brownlee
Gregory Burch
Marta Campbell
Rory Carrigan
Hadia Farooq
Danielle Fawkes

Geetha Gunaratnam
Lucy Guthrie
Naomi Hancox
Natasha Kennedy
Mehnaz Khan
Andy Kwok
Hannah Leaman
Queenie Lo
Nurhayati Lubis*
Katherine MacGloin
Vijeta Mahinthan
Otto Mohr
Angela Nicklin
Olubukunola Ojo
Constantinos Papoutsos
Katherine Railton
Amrit Roopra
Simon Stacey

Basildon and Thurrock University Hospitals NHS Foundation Trust

Samuel Armanious*
Karen Culfear

Bedford Hospital NHS Trust

Douglas Bomford
Anand Desai
Preeti Dewan
Henry Hammerbeck
Michael Holland
Peter Knowlden*
Ben Linton Willoughby
Andrew Mckendry
Muhammad Nasiruddin
Alessandra Reis-Clark
Helena Stafford

Birmingham Women's NHS Foundation Trust

Khalid Hasan
Yasmin Poonawala
Annabelle Whapples*ⁱ

Blackpool Teaching Hospitals NHS Foundation Trust

Emma Brennan
Janette Brown
Rosanne Ching
Jason Cupitt*
Karen Gratrix
Katherine Hodgson
Sean O'Beirn
Dennis Padi
Christopher Pemberton
Maja Severn

Bolton NHS Foundation Trust

Jon Arnot-Smith
Hugo Buckley
Samuel Howell^c
Ruth Loeffler^c
Susan Moss

Seelanere Nandini
Peter Sandbach*^c
Emma Wheatley

Bradford Teaching Hospitals NHS Foundation Trust

Richard Briscoe
Benjamin Brown
Sarah Campion
Sarah Cooper
David Craske
Peter Hart
Tom Lawton
Maria Marta ^a
Taha Namik
Adam Neep
Martin Northey
Rashmi Senaratne
Robert Spencer*
Helen Stanworth
Mark Stubbington ^a
Amit Surah ^a

Brighton and Sussex University Hospitals NHS Trust

James Jack
Jessica Lee
Toni Perello Sancho
Stuart White*

Buckinghamshire Healthcare NHS Trust

Claire Ansley-Watson
Alice Pearl Christensen
Jonathan Collins
Jeremy Drake*
Phil Duggleby
Helen Gilfillan
Samantha Jayaweera
Mariam Latif
Alice Loft
Tamsin McAllister
Jyoti Misra
Amanda Mohabir
Vanisha Parekh
Hasita Patel
James Robert Sheehan
William John Stevens
Nicholas Taylor
Ravi Tomar
Emily Traer
Elizabeth Yates

Burton Hospitals NHS Foundation Trust

Seetal Aggarwal
Catriona Frankling
Georgia Knight i
Clare Mewies
Eleanor Tyagi*
Carole Webb

Calderdale and Huddersfield NHS Foundation Trust

Sarah Elizabeth Hennell

Stephen John Hill*
Amy Mayor
David Pegg
Amanda Pine
Sally Price
Amit Pruthi

Cambridge University Hospitals NHS Foundation Trust

Famila Alagarsamy
Jim Bamber*
Jo Bytham
Ailsa Liddle
Bassey Brendan Nkanang
Georgina Singleton
Helen Surgenor
Jacqueline Tahari
Kelly Teversham
Shanelle Wijesuriya

Central Manchester and Manchester Children's University Hospitals NHS Foundation Trust

Dilip Agarwalc
Hassan Ahmadc
Niamat Aldamlujic
Sujesh Bansal*c
Neeraj Bhardwaj
Kailash Bhatia*c
Tara Byottc
Daniel Conway
Devjay Datta
Charlotte Dean
Nick Greenwood*c
Amr Hassanc
Mohammad Ibrahim
Matthew James Jacksonc
Amit Jain
Maciej Kalata
Swati Karmarkar*c
Helen Lewisc
Emma Lightbody
Mohamed Mahmoud
Ijas Moideen
Niall O'Keeffe
Chinmay Patvardhanc
Anand Rajasekaranc
Richard Ramsaranc
Isma Razzaq
William Simpsonc
Rebecca Sutton*c
Mruthunjaya Swamy*c
Katalin Szabo
Cheng Yeow Tanc

Chelsea and Westminster Hospital NHS Foundation Trust

Laura Braidford
Rhian Bull
Jaime Carungcong
Ivy Chan
Alice Costello
Ruth Cowen

Mark Cox
 Kevin Haire
 Katherine Horner
 Inga Kelpanides
 Ami Kotecha
 Kylie Norrie
 Tejal Patel
 Amanpreet Sarna
 Sneha Shah
 Valeria Silvestre
 Patrick Ward
 Andrea Weigert*
 Michael Weston
 Harriet Wordsworth

Chesterfield Royal Hospital NHS Foundation Trust

Sarah Capper d
 Sian Edwards
 Rachel Gascoyne
 Sue Glenn
 Emily Hall
 Elaine Harris
 Mohammed Khan
 Matthew Needham d
 Anand Padmakumar
 Nick Spittle* d
 Lesley Stevenson
 Julie Toms
 Caroline Wearn
 Amanda Whileman
 Janina Woodward

Christie Hospital NHS Foundation Trust

Nesrine Ismailn
 Jaya Nariani*
 Rafik Sedra

City Hospitals Sunderland NHS Foundation Trust

Lynn Fairless
 Dawn Keightley
 Eleanor Ripley
 Marc Slorach*

Colchester Hospital University NHS Foundation Trust

Richard Bayley
 Debbie Campbell
 Alison Ghosh
 Samuel Kestner
 Ram Kumar
 Rachel Madders
 Thomas McLoughlin*
 Sophia Paramanathan
 Peter Wicks

Countess of Chester Hospital NHS Foundation Trust

Mary Aldous
 Jonathan Breeze
 David Castillo*
 Jenny Davies
 Angela Deeley

Tom Donaldson
 Michaela Duskova
 Jamie Fanning
 Maria Faulkner
 Alain Fennessy
 Brian Herath
 Mark Howells
 Helen Jeffrey
 Anita Jhamatt
 Gregory Moore
 Ben Murray
 Helen Robertson
 Nicole Robin
 Robert Neil Schofield
 Eoin Young

County Durham and Darlington NHS Foundation Trust

Chloe Barclay
 Sabrina Butcher
 Helen Chipchase
 Amanda Cowton
 Lynsey Downing
 Monica Jacksonb
 Anthony Kennedy
 James Limb*
 Mihaela Michituc
 Kannan Mohanram
 Mandy Porritt
 Katherine Rouse
 Priya Shekar
 Alison Thompson
 Linda Tinkler

Croydon Health Services NHS Trust

Srinivasan Dhileepan*
 Richard Doyle
 Irfan Raza
 Holly Sturgess

Derby Hospitals NHS Foundation Trust

Marie Appleby
 Sallyann Bell
 Trish Boateng
 Teresa Grieve
 Kathleen Holding
 Ryan Humphries
 Melody MacGregor
 Susan Melbourne
 Yvonne Newey
 Karen Pearson
 Qiong Pooler
 Manni Sandhu
 Karen Simmonds
 Coral Smith
 Jill Smith
 Shafa Ullah
 Vanessa Unsworth
 John Williams*

Doncaster and Bassetlaw Hospitals NHS Foundation Trust

Sunita Asif d
 Mary Avvai
 Amira Bassaly
 Paul Bedford
 Maneka Braganza d
 Michelle Denton
 Richard Dobson* d
 Agota Ermenyi
 Ashraf Fakhry Farid
 Mark Fowler
 Padma Gopal
 Aditya Krishan Kapoor d
 Weeraman Karunaratne
 Rachel Lee
 Shanmugam Narayanaswamy
 Matthew Neal
 David Northwood d
 Christopher Palmer
 Joel Perfitt d
 Javaid Rashid
 Najam Saqib
 Parul Talati
 Tim Vemmer
 Vinesh Vincent B
 Ben Williams

Dorset County Hospital NHS Foundation Trust

Jonathan Chambers*
 Russell Goodall
 Erica Jolly
 Stephanie Jones
 James Keegan
 Sarah Moreton
 Jai Vedwan

Dudley Group NHS Foundation Trust

Michael Allan
 Clare Allcock
 Roisin Baker i
 Felicity Corcoran
 Phillip Howells
 James Hutchinson
 Sarah McCormick
 Ciro Morgese
 Richard Pierson* i
 Julian Sonksen
 Rebecca Storey
 Meroitra Susan
 Ben Watkins

Ealing Hospital NHS Trust

Leena Ali*
 Shahrzad Pakkar Tadbiri
 Seosoon Seah*

East and North Hertfordshire NHS Trust

Siân Batley
 Shanmugasundaram Gowrie-Mohan*

Yohinee Rajendran

East Cheshire NHS Trust

Kieran Bowdren
 Andrew Gorman*

East Kent Hospitals University NHS Foundation Trust

Sanjay Agrawal
 Farrukh Ameer
 Roya Bayliss
 James Bland
 Claire Braid
 Rajkumar Johi*
 John MacKinnon
 Joanna Moore*
 Nagendra Natarajan*
 Rini Poddar
 Rebekah Rodgers
 Rebecca Samuels
 Andrew Skinner
 Christopher Turner

East Lancashire Hospitals NHS Trust

Marion Andersonc
 Kate Beresford*
 Srikanth Chukkambotla
 Hawa Desai
 Janie Hartley
 Siobhane Holdenc
 Farzana Ibrahim
 Matthew Leliuga
 Duncan MacRossonc
 Aji Mathew*c
 Michael Pollard
 David Rawlinson
 Haroon Waqar-Uddin
 John Weeks

East Sussex Healthcare NHS Trust

Anthony Cochrane
 Leon Dryden
 Venkatesan Duraiswamy
 Philippa Marshall*
 Amanda Milligan
 Roisin Monteiro
 Seema Pai
 Frantisek Slaninka
 Claire Stikans

Epsom and St Helier University Hospitals NHS Trust

Andrew Bailey
 Caroline Bullen
 Joan Desborough
 Tasneem Katawala
 David Male
 Amrut Mudanna
 Jasmina Perinpanayagam
 Franca Serafini
 Geoff Thorning*

Frimley Park Hospital NHS Foundation Trust

Victoria Atkinson
 Claire Cameron
 Merle Cohen
 Britt Garwood
 George Godfrey
 Sara Lantz-Dretnik
 Ana Robles
 Justin Woods*

Gateshead Health NHS Foundation Trust

Connor Dooley
 Vanessa Linnett*
 Stephen Mowatb
 Jenny Ritzema
 Louise Sanderson

George Eliot Hospital NHS Trust

Divya Khare
 Vivek Poongavanam*ⁱ
 Manoj Ravindran

Gloucestershire Hospitals NHS Foundation Trust

Katherine Belfield
 Emily Buckwell
 Stephanie Connelly
 Amy Dodd
 Paul Downie*
 Charlotte Earnshaw
 Natalie Grayf
 Sarah Major
 Kelly Matthews
 Victoria Ormerod
 Nishi Patel
 Sophie Scuttf
 Kathleen Shelley
 Laura Thomsonf
 Carolyn Warr*

Great Western Hospitals NHS Foundation Trust

Sam Andrews
 Gary Baigel*
 Johanna Mockler
 Jon Rivers
 Lucy Williams

Guy's and St Thomas' NHS Foundation Trust

James Arlidge
 Victoria Bennett
 Alexandra Bond
 Arun Kochhar
 Chandni Parikh
 Jan Schumacher*
 Agnieszka Skorko
 Davina Wong

Hampshire Hospitals NHS Foundation Trust

Samantha Allen
 Helen Bromhead*

Alison Corker
 Victoria Corner
 Angie Dempster
 Olatunde Fagbayimu
 Johanna Hellstrom
 Jane Martin
 Lewis Matthews
 Philip McGlone^e
 Richard Partridge*
 Emma Rogers
 Angus Royal
 Joanne Tambellini
 Dawn Trodd
 Nimu Varsani
 Caroline Wrey Brown
 Louise Young^e

Harrogate and District NHS Foundation Trust

Jennifer Firth-Gieben
 Sarah Peacock
 Abhinav Kant*
 Chris Smales

Heart of England NHS Foundation Trust

John Benjamin
 Gemma Dignamⁱ
 Hannah Fuller
 Saravanababu Gnanaseakaran*
 Bethan Haleⁱ
 Vivienne Madden
 Alan Marshall
 Sandur Naresh
 Priya Ramchandran
 Sethu Veerabadran*
 Vijay Kumar Venkatesh
 Guenter Weissenhorn

Hillingdon Hospitals NHS Foundation Trust

Charlotte Stephanie Cattlin
 Francesca Mazzola
 Constandinos Papageorgiou*
 Shivali Patel

Hinchingbrooke Health Care NHS Trust

Aisling Connolly
 Saad Gomaa
 Dancho Ignatov*
 Zhana Ignatova
 Ilya Kantsedikas
 Namratha Mathai
 Mohammad Tayyab Memon
 Ben Miller
 James O'Brien
 Georgina Singleton
 Arivalagan Sivakkolunthu
 Sivaprakash Vaitheeswaran

Homerton University Hospital NHS Foundation Trust

Emily Bayne
 Jens Full

Hoon Ying Lau
Winston Ng
Sandor Orosz
Tabitha Tanqueray*
Andrew Wilkinson

Hull and East Yorkshire Hospitals NHS Trust

Caroline Abernethy
Rachel Bowden ^a
Pallavbhai Desai ^a
Omer Farooq ^a
Andrew Gratrix*
Anne-Mair Hammond-Jones ^a
Vikas Kaura ^a
Umakanth R Kempanna ^a
Victoria Martinson
Muhammad Shakeel Riaz ^a
Amjad Sami
Neil Smith
James Stevenson ^a
Ruth Ugochukwu
Mamoon Yusaf ^a

Imperial College Healthcare NHS Trust

Melloney Allnutt
Glenn Arnold*
Satya Bhat*
Nicola Boyer
Rachel Freedman
David Harris
Gillian Hornzee
Asantha Jayaweera
Craig Jones
Ashwin Kalbag
Shamsher Khan
Kiranjit Khazan Singh
Zheyne Konstantinova
Stuart Lawrie
David Magee
Nisha Nimalan
Laura Peltola
Rajan Saini
Marco Scaramuzzi
Akshay Shah

Ipswich Hospital NHS Trust

Alice Barnes
Debra Beeby
Stephanie Bell
Lyndsey Cubitt
Daniel Gibney
Louise Hunt
Arun Natarajan*
Margaret Oatley
Genessa Peters
Bally Purewal
Judi Ramsey
Joanne Rickett
Ginny Rose
Stephanie Stoddart
Edward Watson

Isle of Wight NHS Trust

Gabor Debreceeni*
Laszlo Ordog
Isobel Rice
Souvik Sanyal

James Paget University Hospitals NHS Foundation Trust

Dushani Atapattu
Pieter Bothma*
Kiran Dasari
Tammy George
Abby Greaves
Christian Hacon
Pushpalatha Linga Nathan

Kettering General Hospital NHS Foundation Trust

Duncan Baines
Anjali Bilolikar
Shiv Chande
Satyanarayana Jakkampudi*
Jeannie Kessell
Prakash Krishnan
Pawan Kumar
Jo Novaga
Parizade Raymode
Philip Watt
Zoe Whitman
Elinor Wighton

King's College Hospital NHS Foundation Trust

Daniel Abell
Michael Adlam
Luke Banks
Nadia Blunt
Philip Hopkins*
James Gill
Roshmi Kumar*
Alena Mulenga Skupenova
George Perrett
Andrew Selman
Jasjot Kaur Singhota
Helen Statham*

Kingston Hospital NHS Foundation Trust

Tharumalingam Gowripalann
Rumiko King
Sarang Puranik*

Lancashire Teaching Hospitals NHS Foundation Trust

Mark Children
Ian Clegg
Karen Collins
James Garbarino^c
Andrew Hall
Maurice John Jones*^c
Jessica Maycock
Andy Ng
Jennifer Pettit^c
Alison Quinn^c
Grace Singleton

Yenyeen Teh^c
 Thomas Walton
 Tom Whitehead
 Amanda Zacharzewski

Leeds Teaching Hospitals NHS Trust

Ossian Auckland-Child^a
 Zoe Beardow
 Christopher Bull^a
 Anna Costello^a
 Stuart Elliot
 Michal Luniewski^a
 Beverley Parker
 Papanna Ramakrishnan
 Caroline Thomas^a
 Matthew Tinker
 Brian White*
 Simon Whiteley*

Lewisham and Greenwich NHS Trust

Manju Agarwal*
 Seb Baxter
 John Cronin

Liverpool Heart and Chest Hospital NHS Foundation Trust

Seema Agarwal*
 Peter Delve
 Sianedd Elliott
 Gerald Smith

Liverpool Women's NHS Foundation Trust

Philip Barclay*
 Emily Christie

Luton and Dunstable Hospital NHS Trust

Suhanya Allirajah
 Edward Dewhirst
 Benjamin Marriage
 Natalia Notkina
 Imran Razzaq
 Emily Spence
 Suhail Zaidi*

Maidstone and Tunbridge Wells NHS Trust

Philip John Blackie*
 Dawn Harpham
 Catherine Lloyd
 Tracey Nolan
 Charles Prior

Medway NHS Foundation Trust

Jon Aron
 Bryony Davy
 Kirtida Mukherjee*
 Brenda Nyamaizi

Mid Cheshire Hospitals NHS Foundation Trust

Zaherali Damani
 Penelope Edmondson
 Fozia Hayat
 Nicolas Price*
 Laura Wilson

Mid Yorkshire Hospitals NHS Trust

Philip Antill
 Adam Beaini
 Matthew Bromley
 Rob Charles^a
 Robert Jackson^a
 Rebecca Lathey^a
 Mohamed Lklouk
 Oliver Martin
 Irfan Mohammad Omar
 Alastair Rose
 Oliver Ross-Smith^a
 Anupam Sharma
 Karen Simeson
 Annika Smith
 Rachel Stock
 Simon Timperley^a
 Sandeep Varma*

Milton Keynes Hospital NHS Foundation Trust

Ramesh Achari
 Chrissie Chevis
 Radu Chirvasuta
 Veronica Edgell
 John Ekpa
 Zahra Fazel
 Manu Gupta
 Nathan Huneke
 Surekha Jani
 Helen Jeffers
 Amitabh Lahkar
 Graziana Massolini*
 Hayley Moss
 Cheryl Padilla-Harris
 Cherish Paul
 Bernadetta Sawarzynska-Ryszka
 Jeannette Smith

Moorfields Eye Hospital NHS Foundation Trust

Nicoletta Catteruccia*
 Mhairi Jhugursing
 Mohammed Kadim
 Jonathan Mathers
 Rutesh Mehta
 Radha Sabaratnam

Newcastle upon Tyne Hospitals NHS Foundation Trust

Shylesh Aravindan
 Emily Bonner
 Thomas Cairns^b
 Mark Callaghan^b
 Nicholas Crawford-Upton
 Christopher Gibb^b

Jane Gibson
Ben Goodman^b
Tom Haigh
Amy Holley
Linda McGhee^b
Claire Mitchell^b
Andrew Pollard
Thomas Edward Poulton
Sneha Prasad^b
Edward Pugh^b
David Saunders*
Sharon Scully*
Mirjana Starinac-Baldwin
Clare Watkinson^b

Norfolk and Norwich University Hospitals NHS Foundation Trust

Siddharth Adyanthaya
Katrina Barber
Jian Wen Chan
Caron Dames
Amy-Jo Farrow
Jim Flatt
Grainne Garvey
Jane Hermanowski
Michael Irvine
Caroline Reavley*
Santhosh Kumar Thandayuthapani
Joanna Wheble

North Bristol NHS Trust

Alia Darweish^f
Sarah Hoskins^f
Kathryn Jenkins*
Sarah Martindale*
Katherine Jane Nickell
Gemma Nickols^f
Biju Peringathara^f
Sarah Todhunter^f

North Cumbria University Hospitals NHS Trust

Hannah Crowther
Suresh Eapen
Gail Fitzsimmons*
Fiona Graham*
Leon Jonker
Nicci Kelsall
Savin Pokhrel
Una Poultney
Tracey Riley
Sarah Thornthwaite
Katie Williams
Toni Wilson

North Middlesex University Hospital NHS Trust

J. A. Ezihe-Ejiofor*
Hemantha Handapangoda
Rajesh Krishnan
Bonnie Kyle
Stefan Sevastru

North Tees and Hartlepool NHS Foundation Trust

Adrian Gooding
Mika Hamilton
Lisa Molus
Pradeep Orakkan
David Pritchard*

North West London Hospitals NHS Trust

Michael Berry
Jacek Borkowski
Thomas Fitzgerald*
Nicola Pearson
Ivan Wong

Northampton General Hospital NHS Trust

Swarna Athukorala
Sunjay Bhadresha
Rosemarie Carrick
Omur Choudhury
Prashant Kakodkar*
Andy Kempa
Senthil Kumaran
Akeeban Maheswaran
Ihaab Matabdin
Saurabh Mehrotra
Kate Smith
Jennifer Spimpolo
Ulrika Winstone

Northern Devon Healthcare NHS Trust

Geraldine Belcher
Garry Henry*
Nigel Hollister
Rachel Horn
Jane Hunt
Maria Karatzi
Eleanore Quinn^g
David Robertshaw
Amanda Skinner
Lucia Stancombe^g

Northern Lincolnshire and Goole Hospitals NHS Foundation Trust

Abbey Clark ^a
Sanjeev Garg*
Priyadarshan Potla
Andrew Quin ^a
Anju Raina
Roshan Rao ^a
Mustafa Raza

Northumbria Healthcare NHS Foundation Trust

Maureen Armstrong
Mark Dalton
Joanne Dawson
Leonie English
Neil Owen Hall
Renee Hope
Thomas Mackie
Fiona McMenemie

Joseph Nevin
Adrian Taylor*

Nottingham University Hospitals NHS Trust

Michal Czernicki
Corinne Deakin
Simon Denning
Prerna Mehrotra
Iain Moppett*
Thomas Munford
Matthew O'Meara
Katie Samuel
Deborshi Sinha
Ganna Sliusar
Deepak Subramani

Oxford University Hospitals NHS Trust

Vassilis Athanassoglou
Amisha Burumdayal
Kim Carter
Alexandra Crean
Ian Edmond
Soumitra Ghosh
Cyndi Goh
Eleanor Harvey
Luis Lee
Nicholas Love
Laila Morris
Georgina Neall
Amy Sangam
Shaun Scott*

Papworth Hospital NHS Foundation Trust

Joanne Irons
Rebecca McClean
Amy Needham
Elizabeth Ogilvie
Kiran Salaunkey
Stephen Webb*

Pennine Acute NHS Trust

Salmin Aseri^c
Sarah Babatunde^c
Amit Bhargava^c
Juie Cunningham
Boopathy Dhanasekar^{*c}
Alastair Duncan^c
Jennifer Gwinnutt^c
Holly Hammond^c
Joanne Humphreys^c
Linda Kent
Owen King^c
Benjamin Kolb^c
Julie Kuzhively^c
Juliette Li Wan Po^c
Denise McSorland
Zahaan Wayne Pinto
Bhaskar Saha^{*c}
Jo Taylor
Paula Usher
Ming Wilson^c

Peterborough and Stamford Hospitals NHS Foundation Trust

Najwan Abu Al-Saad
Balraj Appadu*
Karen Beaumont
Christopher Hall
Nazia Khan
Rachelle MacMillan

Plymouth Hospitals NHS Trust

Rohan Babla^g
Charlotte Bailey
Molly Bancroft
Karen Brookes
Leeanne Carwithen
Helen Davies
Juleen Fasham^g
Danielle Franklin^g
Julie Greatrex
Rosie Griver^g
Catherine Harden
Craig Holdstock^g
Matt Hawkins
Sandeep Kusre^g
Val Morgan
Gary Minto^{*g}
Claire Northcott
Abigail Patrick
Suzanne Price
Jeanne Louise Schonborn^g
Ellie Shepherd
Rosalyn Squire
Geoff Tavener^g
Liz Whitby
Jackie Wooding

Poole Hospital NHS Foundation Trust

Katharine Browne
Hermione Denniss
Tom Everett
Michael Girgis*
Harris Wain

Portsmouth Hospitals NHS Trust

James Bain*
Adam Edwards
Renee Ford
Rebecca Fry
Li Ping Gan
Helen Gordon
Sophia Henderson^e
Susannah Palmer
Rebecca Reeves
Francesca Riccio
Esme Sleep
Zoe Smith

Queen Victoria Hospital NHS Foundation Trust

Julian Giles*
Valentina Neroli

Isabelle Reed
Debbie Weller

Robert Jones and Agnes Hunt Orthopaedic Hospital NHS Foundation Trust

Rob Alcock
Robert Banerjee
Andrew Bing
Sumeeta Conry
Jayne Davies
Kirsty Davies
David Ford
Robert Freeman
Peter Gallacher
Niall Graham
Stuart Hay
Simon Hill
David Jaffray
John John*
Huw Jones
Fouzia Kader
Siddalingaprabhu Katti
Julia Kennedy
Nigel Kiely
Ruth Longfellow
Ciaran Moran
James Neil
Matthew Ockendon
James Pattison
James Richardson
Richard Roach
Sophie Shapter
Richard Spencer-Jones
Niall Steele
Julie Steen
Jayesh Trivedi
Marck Vanliefeland
Emma Wain
Huw Williams
Rotherham NHS Foundation Trust
William Lindsay^d
Frances Colquhoun^d
Matthew Craig Faulds^d
Meredyth Harris
Anil Hormis*^d
Joanne Howe
Sean Keating^d
Amy Thomas^d

Royal Berkshire NHS Foundation Trust

Tamara Alexander
Richard Barnes
Jennifer Cade
Joanna Cudlipp
Patrick Dill-Russell*
Henry Jefferson
John MacKenzie
Gopalan Radhakrishnan

Royal Bournemouth & Christchurch Hospitals NHS Foundation Trust

Duncan Chamblor
James Craig*
Emily Cross
Stephen Phillips
Paul Stevens
Emma Willett
Steven Williams
Laura Wood

Royal Brompton and Harefield NHS Foundation Trust

Rob Anker
Tali Heymann
Katheryn Fogg*
Sandra Reinero
Aikaterini Vlachou

Royal Cornwall Hospitals NHS Trust

Alyson Andrew
Weiss Anna
Amanda Datson
Nicki Devooght-Johnson
Jacqueline Dingle
William English
Anna Fouracres
Juan Graterol*^g
Lynne Graves
Alexander Ishimaru
Patrycja Jonetzko^g
Keely Lane
Tom Lawson^g
Andrew MacAlister Hall^g
Kathleen Mulcahy^g
Anna Ratcliffe^g
William Rutherford^g
Jessica Summers
Gina Townley
Lisa Trembath
Leanne Welch
Geoffrey Wigmore^g

Royal Devon and Exeter NHS Foundation Trust

Elizabeth Fontaine^g
Emily Howells^g
David Hutchins^g
Lawrence Kidd^g
Samantha Lyons^g
Katharine Meikle*^g
Richard David Wassall^g
Thomas Woodward^g

Royal Free London NHS Foundation Trust

Ciara Donohue
Faezeh Godazgar
Charlotte Haldane
Sarah James
Carlos Kidel
Sue Mallett*
Edward Palmer

Royal Liverpool and Broadgreen University Hospitals NHS Trust

Jonas Appiah-Ankam
Jane Beattie
Jennifer Burgess
Laura Dagg
Nirmal Daniel*
Joanna Fawcner-Corbett
Will Gauntlett
Sally Hargreaves
Michael McGovern
Sarah Mitchell
Christopher Parker
Sergey Rastopyrov
Alicia Roitberg-Henry
Maria Safar

Royal Marsden NHS Foundation Trust

Oliver Blightman
Stuart Cleland
Shaman Jhanji*
Rohit Juneja*
Helen Jane Lawrence
Sophie Uren

Royal National Orthopaedic Hospital NHS Trust

Anamika Agrawal
Paul Gunning*
Henna Khetani
Benjamin Parsons

Royal Orthopaedic Hospital NHS Foundation Trust

Chandra Bhimarasetty
Laura Bird
Dinakar Gowda
Rekha Jayapal
Faye Moore
Salmaan Mughal
Sam Papadopoulos
Narendra Babu Siddaiah*ⁱ

Royal Surrey County Hospital NHS Foundation Trust

Sophie Childs
Matthew Dickinson*
Andrew McKechnie
Frederick Wilson

Royal United Hospital Bath NHS Trust

Cheryl Achary^f
Jeremy Astin^f
Nicholas Harris
Lesley Jordan*
Inthu Kangesan
Catherine Lomasney
Melanie McDonald

Royal Wolverhampton Hospitals NHS Trust

Rebecca Coles
Kate Griffin

Richard Lightfoot
Rebecca Micklewright*
Linga Prasadⁱ
Sreekanth Uppugonduri*

Salford Royal NHS Foundation Trust

Charlotte Ash
Cally Burnand*^c
Richard Cooper
Simon Forrington
Hywel Garrard
Alison Jones^c
Leigh Willoughby*^c

Salisbury NHS Foundation Trust

Alpha Anthony
Caroline Clarke
Ilana Delroy-Buelles^e
Christian Schopflin^e
Andrew Swain
Simon Williams*

Sandwell and West Birmingham Hospitals NHS Trust

Mary Cheung
Kavit Dasari
Rachael Dolan
Phillip El-Dalil
Katheryn Grange
Gunasheela Kalashetty
Santhana Kannan*ⁱ
Arif Jamil Khan
Laura Kocierz
Frances Lay
Miriam Namihⁱ
Harry Phillips
Mrutyunjaya Rao Rambhatla*
Tracy Wong

Sheffield Teaching Hospitals NHS Foundation Trust

Hemant Aaytee^d
Norfaizan Ahmad^d
Sireesha Aluri^d
Kris Bauchmuller^d
Helen Ellis^d
Zakir Hajat^d
Holly Jeffery^d
Alex Kojro^d
Andrew Cruikshanks^d
Andrew Leeson^d
Duncan Miller^d
Rama Pothireddy^d
Ajay Raithatha^d
Catherine Riley^d
Jonathan Rosser^d
Rachel Louise Wadsworth^d
Ian Wrench*^d

South Devon Healthcare NHS Foundation Trust

Martin Dore^g
Lydia Jones^g

Chris Leighton^g
Jane Montgomery*^g
Claire Ward^g

South Tees Hospitals NHS Foundation Trust

Rasha Abouelmagd
Lukasz Badek
Kirsty Baillie
Anita Baldea
David Booth*
Louise Cawthorn
Emanuel Cirstea
Kerry Colling
Lauren Crook
Anand Damodaran
Mohamed Eid^b
Janet Gunn
Christoph Muench*
Anand Nadgir
Rebecca Parker
Kavita Upadhyaya

South Tyneside NHS Foundation Trust

Gayle Clifford
Christian Frey*
Shiv Gurung
Philippa Laverick

South Warwickshire NHS Foundation Trust

Alastair Fairfield
Emert White*

Southend University Hospital NHS Foundation Trust

Kapil Arora
Blanca Boira*
Simon Matthews
Karen Rhodes
Maylan Webb

Southport and Ormskirk Hospital NHS Trust

Andrew Kent*
Helen Terrett

St George's Healthcare NHS Trust

Roopa Sindhu Devanahalli*
Victoria Eleanor Crozier Ferrier
James Hayward
Clare Ivermee
Anastasia-Eleni Legga
Laura Litster
Georgia Monantera
Ben Morrison
Rita Saha
Guy Sanders
Natashia Schneider
Nikunj Shah
Rohan Vandabona
James Wilson

St Helens and Knowsley Teaching Hospitals NHS Trust

Andrew Fisher
Vandana Goel
Preeti Kuduvalli*
Dominic Peter Douglas Nielsen
Kim Porter

Stockport NHS Foundation Trust

Janette Curtis
Sophie Jagatia
Deborah Lee
Leila Nasser
Sarah Scanlon
Helen Simmons^c
Elizabeth Thomas*^c

Surrey and Sussex Healthcare NHS Trust

Olivia Davies
Hannah Dawe
Gannat Gabr
Ashley Hague
Richard Hawkins
Christie Locke
Aikaterini Papadopoulou
Simon Parrington*
Vijaya Ramaiah
Anna Riccoboni
Elizabeth Smee
Frederick Van Damme
Matthew Willcocks

Tameside Hospital NHS Foundation Trust

Anand Kulkarni*
Venkata K Melachuri*^c
John Nicholls
Hannah Richardson^c
Laura Stephanie Talbot^c
Stephen Wythe^c

Taunton and Somerset NHS Foundation Trust

Lindsey Arrick^g
Stuart Collins*^g
Thomas Evans^g
Harriet Gardiner^g
James Garwood^g
Olivia Gokhale^g
Suzanne Grenfell^g
Alexander Jones^g
Rebecca Pugsley^g
Nicholas Soultter^g
Borys Topor^g
Tim Wilson^g

The Princess Alexandra Hospital NHS Trust

Natasha Constandinou
Joanna Hackney
Kevin Hamilton*
Jenna Hutchinson
Michelle Reichman

The Whittington Hospital NHS Trust

Karen Fan
Heloise Hayakawa
Jane Silk*
Duncan Wagstaff

United Lincolnshire Hospitals NHS Trust

Simon Archer
Helen Ayre
Susie Butler
Matthew Daunt
Val Elliott
Joanne Fletcher
Sarah Ford
Yusuf Ghumra
Anne Hardwick
Suganthi Joachim*
Manish Kakkar*
Amy Kirkby
Jonathan Lewis
Ann Marsh
Beverley Mashegedo
Madhur Mehta
Kimberley Netherton
Rebecca Norton
Tara Palmer
Natalie Reinoso
Amanda Roper
Victoria Sherburn
Andrew Sloan
Isobel Thomas
Maria Tute

University College London Hospitals NHS Foundation Trust

Douglas Blackwood
Sara Bowman
Maria Chazapis
Roger Cordery*
Tejal Dave
Catriona Ferguson*
Roxaan Jappie
Sathish Kumar
Mark Lambert
Leda Lignos
Valpuri Luoma*
Emilie Martinoni Hooenboom
Joanna Mavridou
Vidhya Nagaratnam*
James Pennington
Upeka Ranasinghe
Ramai Santhirapala
Sohini Sengupta
Louisa Shovel
Serena Sodha
Adrienne Stewart*
Julia Taylor
Manni Waraich

University Hospital of North Staffordshire NHS Trust

Beryl Alcock

Felicity Clark
Viv Colclough
Sarah Dawson
Jane Delaney
Satyaheet Ghatge
Ellen Haire
Anne Harrison
Ellen Hodgson
Rahul Kumar*
Elin Jones
Piotr Ohly
Nicola Pattison
Marissa Plaza
Mohan Sathyamoorthy
Lisa Wilkings

University Hospital of South Manchester NHS Foundation Trust

Sarah Blomeley^c
Jennifer Cunningham
Rebecca Elder
Johnny Kenth
Matthew Leech^c
Wendy Nichols
Alison Walker
Stephen Washington*^c
Brian Williams^c

University Hospital Southampton NHS Foundation Trust

Samar Al-Rawi*
Yousra Ahmad
Clare Bolger
Anne-Marie Bougeard
Hannah Collins
Rhys Davies
Kim Golder
Alexandra Hawken
Lesley Hawkins
Thomas Hutley
Alexa King
Denny Levett
Angela Lim
Nihal Mahagamage
James Montague
Andrew Nash
James Plumb
Karen Salmon
Leanne Seaward
Anamika Sehgal
Laura Tompsett
Bryony Tyrell
Andrew Vaughton
Beverley Wadams
Mai Wakatsuki*

University Hospitals Birmingham NHS Foundation Trust

Muneeba Ahmedⁱ
Somasundaram Jeyanthan
Katherine Laverⁱ
Rachel Moore
Hasnain Saeed
Laura Tasker*

University Hospitals Bristol NHS Foundation Trust

Andrew Bartlett
Hannah Blanshard
Alan Cohen
Helen Davies^f
Nirosha De Zoysa
Shailendra Deep
Claire Dowse
Chris Gough
Lisa Grimmer
Ben Howes
Sarah Jarvis
Attila Jonas
Neil Muchatuta
Yin Ng^f
Marcin Pachucki^f
Claudia Paoloni*
Helen Parker
Tamara Semei-Spencer
Nicola Stewart
Sarah Thomas
Hannah Wilson
Nicholas Wharton*

University Hospitals Coventry and Warwickshire NHS Trust

Carol Bradbury*
Falguni Choksey
Nageena Hussain
Ahmed Mesbah
Bradley Mullins
Arif Qureshi
Chandra Vaidyanath

University Hospitals of Leicester NHS Trust

Matthew Charlton
Navreet Ghuman
Sameer Hanna-Jumma
Stephen Hillier
Jim Horn
Kaushliya Katechia
Gary Lau
Ralph Leighton*
Jennifer Norris
Sarah Bowrey

University Hospitals of Morecambe Bay NHS Foundation Trust

Claire Bartlett
Karen Burns
Kate Lloyd
Stephanie McGrath
Stephanie Monks
Matthew Dominic Newport
Anastasia Price
Corinne Rimmer*
Andrew Smith
Insiya Susnerwala
Clare Tibke

Walsall Healthcare NHS Trust

Chris Clulow
Gareth Lodwick
William Malein
Oliver Oxenham
Sumant Shanbhag*
Marc Whitehouse

Warrington & Halton Hospitals NHS Foundation Trust

Seema Charters*
Timothy Furniss
John Gardner
Chetana Kataria
Rachel Leopold
Sumit Mitra
Natasha Permall
Peter Turton

West Hertfordshire Hospitals NHS Trust

Malthi Dudley*
Aditi Ghei
Sumit Jha
Richard Lin
Ratna Makker
Jennifer Taylor
Elaine Walker

West Middlesex University Hospital NHS Trust

Edward Amiry
Jonathan Berger
Lie Wah Johnson
Alexandra Matson*
Tim Peters*
Metod Oblak
Cosmo Scurr
Lilia Tony
Thomas Young

West Suffolk NHS Foundation Trust

Joel Chin
Vijayakumar Gopal*
Lisa Grimes
Sally Humphreys
Laura Kessack
Katharina Kohler
Rajesh Vasiraju

Western Sussex Hospitals NHS Foundation Trust

Sonia Akrimi
Anna Cave
Charlotte Crossland
Paul Crowest
Emily Dana*
Rachael Grimaldi
Katherine Hunter
James Nicholson*
Zehra Ozfirat
Laura Frances Pocock
Michael Robson
Hannah Rose

William Shippam
Patrick Thorburn
Stuart Wade

Weston Area Health NHS Trust

Donna Cotterill
Alex Dewar
Guru Hosdurga*
Rik Marsden
Ed Mew^f
Vivienne Pixton
Glenn Saunders

Wirral University Teaching Hospital NHS Foundation Trust

Sharon Acheson
Laura Bubb
Matthew Gwinnutt
Amy Hill
Neil Oakes
Suresh Singaravelu*

Worcestershire Acute Hospitals NHS Trust

Kate Blyth
Karen Faulkner
Emily Johnsonⁱ
Ravindra Mallavalli
Christopher Mowatt*ⁱ
Cindy Persad*ⁱ
Emma Plunkett
Alag Raajkumar
Meghna Sharma
Naginder Singh

Wrightington, Wigan and Leigh NHS Foundation Trust

John Barrett
Simon Bluhm
Maria Brereton^c

Paul Andrew Damon Clements*
Joanne Farnworth
Linzi Heaton
Diane Heaton
Julie Melville
Valerie Parkinson
Bryony Patrick
Jessica Sykes
Tracey Taylor

Wye Valley NHS Trust

Matthew Creed
Joseph Hayward
Richard Hodgson*
Aled Morgan

Yeovil District Hospital NHS Foundation Trust

Marmar Htyⁿ^f
Agnieszka Kubisz-Pudelko*
Ian Taylor^f

York Teaching Hospital NHS Foundation Trust

Ramesh Ananthmanohar
Jessica Bowen
Lynne Brown
Andrew Chamberlain
Ben Chandler*
Kerry Deighton
Simon Dyer
Naomi Fleming^a
Muthuraj Kanakaraj*
Andrew McDonald^a
Eusebius U. Nworah
Altaf Hassan Sultanpori
Emma Temlett
James Walkington
Samantha Warnakulasuriya

Handling editor: Hugh Hemmings