




Corrigendum

Feeding and growth of Atlantic cod (*Gadus morhua* L.) in the eastern Baltic Sea under environmental change

Stefan Neuenfeldt ^{1*}, Valerio Bartolino², Alessandro Orio ², Ken H. Andersen¹, Niels G. Andersen¹, Susa Niiranen³, Ulf Bergström⁴, Didzis Ustups⁵, Nataliia Kulatska², and Michele Casini ²

¹National Institute of Aquatic Resources, Technical University of Denmark, 2800 Kongens Lyngby, Denmark

²Department of Aquatic Resources, Institute of Marine Research, Swedish University of Agricultural Sciences, Turistgatan 5, Lysekil 45330, Sweden

³Stockholm Resilience Centre, Stockholm University, Kräftriket 2B, Stockholm 10691, Sweden

⁴Department of Aquatic Resources, Institute of Coastal Research, Swedish University of Agricultural Sciences, Skolgatan 6, Öregrund 74242, Sweden

⁵Fish Resources Research Department, Institute of Food Safety, Animal Health and Environment, Daugavgrivas 8, Riga 1048, Latvia

*Corresponding author: tel: +45 3396 3402; e-mail: stn@aqu.dtu.dk.

Neuenfeldt, S., Bartolino, V., Orio, A., Andersen, K. H., Andersen, N. G., Niiranen, S., Bergström, U., Ustups, D., Kulatska, N., and Casini, M. Feeding and growth of Atlantic cod (*Gadus morhua* L.) in the eastern Baltic Sea under environmental change. – ICES Journal of Marine Science, doi:10.1093/icesjms/fsz224.

Advance access publication 16 January 2020.

ICES Journal of Marine Science (2019), doi:10.1093/icesjms/fsz224

In the originally published version of this article there was an error in figure 5. This has now been corrected.




Figure 5. Simulated growth trajectories of *Gadus morhua* in the total length range 21–35 cm for the five decades covered by the stomach sampling programme.