

- Adamic, M., Diaci, J., Rozman, A. and Hladnik, D. 2017 Long-term use of uneven-aged silviculture in mixed mountain Dinaric forests: a comparison of old-growth and managed stands. *Forestry* **90**, 279-291. <https://doi.org/10.1093/forestry/cpw052>
- Andreassen, K. and Oyen, B. 2002 Economic consequences of three silvicultural methods in uneven-aged mature coastal spruce forests of central Norway. *Forestry* **75**, 483-488. <https://doi.org/10.1093/forestry/75.4.483>
- Angell, N., Waring, K.M. and Graves, T.A. 2014 Predicting height growth of sugar pine regeneration using stand and individual tree characteristics. *Forestry* **87**, 85-97. <https://doi.org/10.1093/forestry/cpt028>
- Axelsson, R. and Angelstam, P. 2011 Uneven-aged forest management in boreal Sweden: local forestry stakeholders' perceptions of different sustainability dimensions. *Forestry* **84**, 567-579. <https://doi.org/10.1093/forestry/cpr034>
- Bagnaresi, U., Giannini, R., Grassi, G., Minotta, G., Paffetti, D., Prato, E. and Placidi, A. 2002 Stand structure and biodiversity in mixed, uneven-aged coniferous forests in the eastern Alps. *Forestry* **75**, 357-364. <https://doi.org/10.1093/forestry/75.4.357>
- Barbeito, I., Pardos, M., Calama, R. and Canellas, I. 2008 Effect of stand structure on Stone pine (*Pinus pinea* L.) regeneration dynamics. *Forestry* **81**, 617-629. <https://doi.org/10.1093/forestry/cpn037>
- Bauhus, J., McElhinny, C. and Alcorn, P. 2002 Stand structure and tree growth in uneven-aged spotted gum (*Corymbia maculata*) forests: some implications for management. *Forestry* **75**, 451-456. <https://doi.org/10.1093/forestry/75.4.451>
- Bergeron, C., Ruel, J.-., Elie, J.-. and Mitchell, S.J. 2009 Root anchorage and stem strength of black spruce (*Picea mariana*) trees in regular and irregular stands. *Forestry* **82**, 29-41. <https://doi.org/10.1093/forestry/cpn035>
- Berrill, J. and O'Hara, K.L. 2016 How do biophysical factors contribute to height and basal area development in a mixed multiaged coast redwood stand? *Forestry* **89**, 170-181. <https://doi.org/10.1093/forestry/cpv049>
- Bertin, S., Palmroth, S., Kim, H.S., Perks, M.P., Mencuccini, M. and Oren, R. 2011 Modelling understorey light for seedling regeneration in continuous cover forestry canopies. *Forestry* **84**, 397-409. <https://doi.org/10.1093/forestry/cpr026>
- Boncina, A., Diaci, J. and Cencic, L. 2002 Comparison of the two main types of selection forests in Slovenia: distribution, site conditions, stand structure, regeneration and management. *Forestry* **75**, 365-373. <https://doi.org/10.1093/forestry/75.4.365>
- Boncina, A. 2011 History, current status and future prospects of uneven-aged forest management in the Dinaric region: an overview. *Forestry* **84**, 467-478. <https://doi.org/10.1093/forestry/cpr023>
- Boncina, A., Cavlovic, J., Curovic, M., Govedar, Z., Klopčic, M. and Medarevic, M. 2014 A comparative analysis of recent changes in Dinaric uneven-aged forests of the NW Balkans. *Forestry* **87**, 71-84. <https://doi.org/10.1093/forestry/cpt038>
- Bragg, D.C. 2017 The development of uneven-aged southern pine silviculture before the Crossett Experimental Forest (Arkansas, USA). *Forestry* **90**, 332-342. <https://doi.org/10.1093/forestry/cpx007>
- Brang, P., Spathelf, P., Larsen, J.B., Bauhus, J., Boncina, A., Chauvin, C., Drossler, L., Garcia-Gueemes, C., Heiri, C., Kerr, G., Lexer, M.J., Mason, B., Mohren, F., Muehlethaler, U., Nocentini, S. and Svoboda, M. 2014 Suitability of close-to-nature silviculture for adapting temperate European forests to climate change. *Forestry* **87**, 492-503. <https://doi.org/10.1093/forestry/cpu018>
- Burgess, D. and Wetzel, S. 2002 Recruitment and early growth of eastern white pine (*Pinus strobus*) regeneration after partial cutting and site preparation. *Forestry* **75**, 419-423. <https://doi.org/10.1093/forestry/75.4.419>

- Burgi, A. 2002 Fir (*Abies densa*) forests in Central Bhutan: a model-based approach to assess a suitable utilization. *Forestry* **75**, 457-464. <https://doi.org/10.1093/forestry/75.4.457>
- Cameron, A.D. and Hands, M.O.R. 2010 Developing a sustainable irregular structure: an evaluation of three inventories at 6-year intervals in an irregular mixed-species stand in Scotland. *Forestry* **83**, 469-475. <https://doi.org/10.1093/forestry/cpq029>
- Cameron, A. and Prentice, L. 2016 Determining the sustainable irregular condition: an analysis of an irregular mixed-species selection stand in Scotland based on recurrent inventories at 6-year intervals over 24 years. *Forestry* **89**, 208-214. <https://doi.org/10.1093/forestry/cpw003>
- Cavlovic, J., Boncina, A., Bozic, M., Gorsic, E., Simoncic, T. and Teslak, K. 2015 Depression and growth recovery of silver fir in uneven-aged Dinaric forests in Croatia from 1901 to 2001. *Forestry* **88**, 586-598. <https://doi.org/10.1093/forestry/cpv026>
- Chrimes, D., Lundqvist, L. and Atlegrim, O. 2004 *Picea abies* sapling height growth after cutting *Vaccinium myrtillus* in an uneven-aged forest in northern Sweden. *Forestry* **77**, 61-66. <https://doi.org/10.1093/forestry/77.1.61>
- Chrimes, D. and Nilson, K. 2005 Overstorey density influence on the height of *Picea abies* regeneration in northern Sweden. *Forestry* **78**, 433-442. <https://doi.org/10.1093/forestry/cpi039>
- Comeau, P.G., White, M., Kerr, G. and Hale, S.E. 2010 Maximum density-size relationships for Sitka spruce and coastal Douglas-fir in Britain and Canada. *Forestry* **83**, 461-468. <https://doi.org/10.1093/forestry/cpq028>
- de Montigny, L.E. and Smith, N.J. 2017 The effects of gap size in a group selection silvicultural system on the growth response of young, planted Douglas-fir: a sector plot analysis. *Forestry* **90**, 426-435. <https://doi.org/10.1093/forestry/cpw068>
- Deal, R.L., Hennon, P., O'Hanlon, R. and D'Amore, D. 2014 Lessons from native spruce forests in Alaska: managing Sitka spruce plantations worldwide to benefit biodiversity and ecosystem services. *Forestry* **87**, 193-208. <https://doi.org/10.1093/forestry/cpt055>
- Delisle-Boulianne, S., Fortin, M., Achim, A. and Pothier, D. 2014 Modelling stem selection in northern hardwood stands: assessing the effects of tree vigour and spatial correlations using a copula approach. *Forestry* **87**, 607-617. <https://doi.org/10.1093/forestry/cpu034>
- Diaci, J., Rozenbergar, D., Anic, I., Mikac, S., Saniga, M., Kucbel, S., Visnjic, C. and Ballian, D. 2011 Structural dynamics and synchronous silver fir decline in mixed old-growth mountain forests in Eastern and Southeastern Europe. *Forestry* **84**, 479-491. <https://doi.org/10.1093/forestry/cpr030>
- Diaci, J., Kerr, G. and O'Hara, K. 2011 Twenty-first century forestry: integrating ecologically based, uneven-aged silviculture with increased demands on forests. *Forestry* **84**, 463-465. <https://doi.org/10.1093/forestry/cpr053>
- Donoso, P. 2005 Crown Index: a canopy balance indicator to assess growth and regeneration in uneven-aged forest stands of the Coastal Range of Chile. *Forestry* **78**, 337-351. <https://doi.org/10.1093/forestry/cpi046>
- Drossler, L., Nilsson, U. and Lundqvist, L. 2014 Simulated transformation of even-aged Norway spruce stands to multi-layered forests: an experiment to explore the potential of tree size differentiation. *Forestry* **87**, 239-248. <https://doi.org/10.1093/forestry/cpt037>
- Duduman, G. 2011 A forest management planning tool to create highly diverse uneven-aged stands. *Forestry* **84**, 301-314. <https://doi.org/10.1093/forestry/cpr014>
- Emmingham, W. 2002 Status of uneven-aged management in the Pacific Northwest, USA. *Forestry* **75**, 433-436. <https://doi.org/10.1093/forestry/75.4.433>

- Emmingham, W., Oester, P., Bennett, M., Kukulka, F., Conrad, K. and Michel, A. 2002 Comparing short-term financial aspects of four management options in Oregon: implications for uneven-aged management. *Forestry* **75**, 489-494. <https://doi.org/10.1093/forestry/75.4.489>
- Ferlin, F. 2002 The growth potential of understorey silver fir and Norway spruce for uneven-aged forest management in Slovenia. *Forestry* **75**, 375-383. <https://doi.org/10.1093/forestry/75.4.375>
- Ficko, A., Roessiger, J. and Boncina, A. 2016 Can the use of continuous cover forestry alone maintain silver fir (*Abies alba* Mill.) in central European mountain forests? *Forestry* **89**, 412-421. <https://doi.org/10.1093/forestry/cpw013>
- Fu, L., Lei, X., Sharma, R.P., Li, H., Zhu, G., Hong, L., You, L., Duan, G., Guo, H., Lei, Y., Li, Y., Tang, S. 2018 Comparing heigh-age and height-diameter modelling approaches for estimating site productivity of natural uneven-aged forests. *Forestry* **91**, 419-433. <https://doi.org/10.1093/forestry/cpx049>
- Fujishima, M., Naramoto, M. and Mizunaga, H. 2011 Simulation of strip-gap arrangement in cedar plantations to regulate the light environment and competition between dwarf bamboo and beech seedlings. *Forestry* **84**, 505-515. <https://doi.org/10.1093/forestry/cpr028>
- Gang, Q., Yan, Q. and Zhu, J. 2015 Effects of thinning on early seed regeneration of two broadleaved tree species in larch plantations: implication for converting pure larch plantations into larch-broadleaved mixed forests. *Forestry* **88**, 573-585. <https://doi.org/10.1093/forestry/cpv025>
- Gardiner, B., Marshall, B., Achim, A., Belcher, R. and Wood, C. 2005 The stability of different silvicultural systems: a wind-tunnel investigation. *Forestry* **78**, 471-484. <https://doi.org/10.1093/forestry/cpi053>
- Gardiner, B., Byrne, K., Hale, S., Kamimura, K., Mitchell, S.J., Peltola, H. and Ruel, J. 2008 A review of mechanistic modelling of wind damage risk to forests. *Forestry* **81**, 447-463. <https://doi.org/10.1093/forestry/cpn022>
- Gove, J.H. 2017 A demographic study of the exponential distribution applied to uneven-aged forests. *Forestry* **90**, 18-31. <https://doi.org/10.1093/forestry/cpw042>
- Gove, J.H. and Ducey, M.J. 2014 Optimal uneven-aged stocking guides: an application to spruce-fir stands in New England. *Forestry* **87**, 61-70. <https://doi.org/10.1093/forestry/cpt040>
- Gove, J.H., Ducey, M.J., Leak, W.B. and Zhang, L. 2008 Rotated sigmoid structures in managed uneven-aged northern hardwood stands: a look at the Burr Type III distribution. *Forestry* **81**, 161-176. <https://doi.org/10.1093/forestry/cpm025>
- Grayson, A. 2002 Progress towards continuous cover woodland: Ipsden estate. *Forestry* **75**, 257-271. <https://doi.org/10.1093/forestry/75.3.257>
- Groot, A. 2002 Is uneven-aged silviculture applicable to peatland black spruce (*Picea mariana*) in Ontario, Canada? *Forestry* **75**, 437-442. <https://doi.org/10.1093/forestry/75.4.437>
- Groot, A. 2014 Fifteen-year results of black spruce uneven-aged silviculture in Ontario, Canada. *Forestry* **87**, 99-107. <https://doi.org/10.1093/forestry/cpt021>
- Guldin, J.M. 2011 Experience with the selection method in pine stands in the southern United States, with implications for future application. *Forestry* **84**, 539-546. <https://doi.org/10.1093/forestry/cpr035>
- Hale, S.E., Edwards, C., Mason, W.L., Price, M. and Peace, A. 2009 Relationships between canopy transmittance and stand parameters in Sitka spruce and Scots pine stands in Britain. *Forestry* **82**, 503-513. <https://doi.org/10.1093/forestry/cpp020>

- Hanewinkel, M. 2002 Comparative economic investigations of even-aged and uneven-aged silvicultural systems: a critical analysis of different methods. *Forestry* **75**, 473-481. <https://doi.org/10.1093/forestry/75.4.473>
- Hanewinkel, M., Frutig, F. and Lemm, R. 2014 Economic performance of uneven-aged forests analysed with annuities. *Forestry* **87**, 49-60. <https://doi.org/10.1093/forestry/cpt043>
- Hanewinkel, M., Kuhn, T., Bugmann, H., Lanz, A. and Brang, P. 2014 Vulnerability of uneven-aged forests to storm damage. *Forestry* **87**, 525-534. <https://doi.org/10.1093/forestry/cpu008>
- Harmer, R., Kerr, G., Stokes, V. and Connolly, T. 2017 The influence of thinning intensity and bramble control on ground flora development in a mixed broadleaved woodland. *Forestry* **90**, 247-257. <https://doi.org/10.1093/forestry/cpw048>
- Hasenauer, H. and Kindermann, G. 2002 Methods for assessing regeneration establishment and height growth in uneven-aged mixed species stands. *Forestry* **75**, 385-394. <https://doi.org/10.1093/forestry/75.4.385>
- Hebert, F., Boucher, J., Walsh, D., Tremblay, P., Cote, D. and Lord, D. 2014 Black spruce growth and survival in boreal open woodlands 10 years following mechanical site preparation and planting. *Forestry* **87**, 277-286. <https://doi.org/10.1093/forestry/cpt052>
- Helliwell, R. 1978 Influence of Discount Rates on Apparent Profitability of Uneven-Aged Forests. *Forestry* **51**, 184-186. <https://doi.org/10.1093/forestry/51.2.184>
- Humphrey, J. 2005 Benefits to biodiversity from developing old-growth conditions in British upland spruce plantations: a review and recommendations. *Forestry* **78**, 33-53. <https://doi.org/10.1093/forestry/cpi004>
- Jacobsen, J.B., Vedel, S.E. and Thorsen, B.J. 2013 Assessing costs of multifunctional NATURA 2000 management restrictions in continuous cover beech forest management. *Forestry* **86**, 575-582. <https://doi.org/10.1093/forestry/cpt023>
- Jones, D.A. and O'Hara, K.L. 2012 Carbon density in managed coast redwood stands: implications for forest carbon estimation. *Forestry* **85**, 99-110. <https://doi.org/10.1093/forestry/cpr063>
- Kerr, G. 2002 The potential for sustainable management of semi-natural woodlands in southern England using uneven-aged silviculture. *Forestry* **75**, 227-243. <https://doi.org/10.1093/forestry/75.3.227>
- Kerr, G., Boswell, R. and Mason, B. 2003 A sampling system to monitor the transformation from even-aged stands to continuous cover. *Forestry* **76**, 425-435. <https://doi.org/10.1093/forestry/76.4.425>
- Kerr, G. 2014 The management of silver fir forests: de Liocourt (1898) revisited. *Forestry* **87**, 29-38. <https://doi.org/10.1093/forestry/cpt036>
- Kerr, G., Morgan, G., Blyth, J. and Stokes, V. 2010 Transformation from even-aged plantations to an irregular forest: the world's longest running trial area at Glentress, Scotland. *Forestry* **83**, 329-344. <https://doi.org/10.1093/forestry/cpq015>
- Kerr, G., Snellgrove, M., Hale, S. and Stokes, V. 2017 The Bradford-Hutt system for transforming young even-aged stands to continuous cover management. *Forestry* **90**, 581-593. <https://doi.org/10.1093/forestry/cpx009>
- Keyser, T.L. and Loftis, D.L. 2013 Long-term effects of single-tree selection cutting on structure and composition in upland mixed-hardwood forests of the southern Appalachian Mountains. *Forestry* **86**, 255-265. <https://doi.org/10.1093/forestry/cps083>
- Klapwijk, M.J., Bylund, H., Schroeder, M. and Bjorkman, C. 2016 Forest management and natural biocontrol of insect pests. *Forestry* **89**, 253-262. <https://doi.org/10.1093/forestry/cpw019>

- Klopčič, M. and Bončina, A. 2011 Stand dynamics of silver fir (*Abies alba* Mill.)-European beech (*Fagus sylvatica* L.) forests during the past century: a decline of silver fir? *Forestry* **84**, 259-271. <https://doi.org/10.1093/forestry/cpr011>
- Klopčič, M., Simončič, T. and Bončina, A. 2015 Comparison of regeneration and recruitment of shade-tolerant and light-demanding tree species in mixed uneven-aged forests: experiences from the Dinaric region. *Forestry* **88**, 552-563. <https://doi.org/10.1093/forestry/cpv021>
- Lahde, E., Eskelinen, T. and Vaananen, A. 2002 Growth and diversity effects of silvicultural alternatives on an old-growth forest in Finland. *Forestry* **75**, 395-400. <https://doi.org/10.1093/forestry/75.4.395>
- Laiho, O., Lahde, E. and Pukkala, T. 2011 Uneven- vs even-aged management in Finnish boreal forests. *Forestry* **84**, 547-556. <https://doi.org/10.1093/forestry/cpr032>
- Laliberté, J., Pothier, D. and Achim, A. 2016 Adjusting harvest rules for red oak in selection cuts of Canadian northern hardwood forests. *Forestry* **89**, 402-411. <https://doi.org/10.1093/forestry/cpw012>
- Lam, T.Y., Kershaw, J.A., Jr., Hajar, Z.S.N., Rahman, K.A., Weiskittel, A.R. and Potts, M.D. 2017 Evaluating and modelling genus and species variation in height-to-diameter relationships for Tropical Hill Forests in Peninsular Malaysia. *Forestry* **90**, 268-278. <https://doi.org/10.1093/forestry/cpw051>
- Lof, M., Karlsson, M., Sonesson, K., Welander, T.N. and Collet, C. 2007 Growth and mortality in underplanted tree seedlings in response to variations in canopy closure of Norway spruce stands. *Forestry* **80**, 371-384. <https://doi.org/10.1093/forestry/cpm022>
- Lundqvist, L. 2004 Stand development in uneven-aged sub-alpine *Picea abies* stands after partial harvest estimated from repeated surveys. *Forestry* **77**, 119-129. <https://doi.org/10.1093/forestry/77.2.119>
- Macdonald, E., Gardiner, B. and Mason, W. 2010 The effects of transformation of even-aged stands to continuous cover forestry on conifer log quality and wood properties in the UK. *Forestry* **83**, 1-16. <https://doi.org/10.1093/forestry/cpp023>
- Mason, W.L., Connolly, T., Pommerening, A. and Edwards, C. 2007 Spatial structure of semi-natural and plantation stands of Scots pine (*Pinus sylvestris* L.) in northern Scotland. *Forestry* **80**, 564-583. <https://doi.org/10.1093/forestry/cpm038>
- Mason, W. 2002 Are irregular stands more windfirm? *Forestry* **75**, 347-355. <https://doi.org/10.1093/forestry/75.4.347>
- Mitchell, S.J. 2013 Wind as a natural disturbance agent in forests: a synthesis. *Forestry* **86**, 147-157. <https://doi.org/10.1093/forestry/cps058>
- Moore, T.Y., Ruel, J., Lapointe, M. and Lussier, J. 2012 Evaluating the profitability of selection cuts in irregular boreal forests: an approach based on Monte Carlo simulations. *Forestry* **85**, 63-77. <https://doi.org/10.1093/forestry/cpr057>
- Moser, W., Jackson, S., Podrazsky, V. and Larsen, D. 2002 Examination of stand structure on quail plantations in the Red Hills region of Georgia and Florida managed by the Stoddard-Neel system: an example for forest managers. *Forestry* **75**, 443-449. <https://doi.org/10.1093/forestry/75.4.443>
- Munoz-Reinoso, J.C. 2017 Effects of deer browsing in a Mediterranean coastal juniper stand. *Forestry* **90**, 304-311. <https://doi.org/10.1093/forestry/cpw039>
- Nolet, P., Doyon, F. and Messier, C. 2014 A new silvicultural approach to the management of uneven-aged Northern hardwoods: frequent low-intensity harvesting. *Forestry* **87**, 39-48. <https://doi.org/10.1093/forestry/cpt044>

- O'Hara, K.L. 2016 What is close-to-nature silviculture in a changing world? *Forestry* **89**, 1-6. <https://doi.org/10.1093/forestry/cpv043>
- O'Hara, K.L., Hasenauer, H. and Kindermann, G. 2007 Sustainability in multi-aged stands: an analysis of long-term planter systems. *Forestry* **80**, 163-181. <https://doi.org/10.1093/forestry/cpl051>
- O'Hara, K.L. and Ramage, B.S. 2013 Silviculture in an uncertain world: utilizing multi-aged management systems to integrate disturbance. *Forestry* **86**, 401-410. <https://doi.org/10.1093/forestry/cpt012>
- O'Hara, K. 2002 The historical development of uneven-aged silviculture in North America. *Forestry* **75**, 339-346. <https://doi.org/10.1093/forestry/75.4.339>
- O'Hara, K. and Gersonde, R. 2004 Stocking control concepts in uneven-aged silviculture. *Forestry* **77**, 131-143. <https://doi.org/10.1093/forestry/77.2.131>
- O'Hara, K., Lahde, E., Laiho, O., Norokorpi, Y. and Saksa, T. 2001 Leaf area allocation as a guide to stocking control in multi-aged, mixed-conifer forests in southern Finland. *Forestry* **74**, 171-185. <https://doi.org/10.1093/forestry/74.2.171>
- Oyen, B. and Nilsen, P. 2002 Growth effects after mountain forest selective cutting in southeast Norway. *Forestry* **75**, 401-410. <https://doi.org/10.1093/forestry/75.4.401>
- Palahi, M., Pukkala, T. and Trasobares, A. 2006 Modelling the diameter distribution of *Pinus sylvestris*, *Pinus nigra* and *Pinus halepensis* forest stands in Catalonia using the truncated Weibull function. *Forestry* **79**, 553-562. <https://doi.org/10.1093/forestry/cpl037>
- Pamerleau-Couture, E., Krause, C., Pothier, D. and Weiskittel, A. 2015 Effect of three partial cutting practices on stand structure and growth of residual black spruce trees in north-eastern Quebec. *Forestry* **88**, 471-483. <https://doi.org/10.1093/forestry/cpv017>
- Pommerening, A. 2002 Approaches to quantifying forest structures. *Forestry* **75**, 305-324. <https://doi.org/10.1093/forestry/75.3.305>
- Pommerening, A. and Murphy, S. 2004 A review of the history, definitions and methods of continuous cover forestry with special attention to afforestation and restocking. *Forestry* **77**, 27-44. <https://doi.org/10.1093/forestry/77.1.27>
- Poznanovic, S.K., Webster, C.R. and Bump, J.K. 2013 Maintaining mid-tolerant tree species with uneven-aged forest management: 9-year results from a novel group-selection experiment. *Forestry* **86**, 555-567. <https://doi.org/10.1093/forestry/cpt025>
- Pukkala, T. 2018 Instructions for optimal any-aged forestry. *Forestry* <https://doi.org/10.1093/forestry/cpy015>
- Pukkala, T., Lahde, E. and Laiho, O. 2011 Variable-density thinning in uneven-aged forest management-a case for Norway spruce in Finland. *Forestry* **84**, 557-565. <https://doi.org/10.1093/forestry/cpr020>
- Pukkala, T., Lahde, E. and Laiho, O. 2010 Optimizing the structure and management of uneven-sized stands of Finland. *Forestry* **83**, 129-142. <https://doi.org/10.1093/forestry/cpp037>
- Rozenbergar, D., Mikac, S., Anic, I. and Diaci, J. 2007 Gap regeneration patterns in relationship to light heterogeneity in two old-growth beech-fir forest reserves in South East Europe. *Forestry* **80**, 431-443. <https://doi.org/10.1093/forestry/cpm037>
- Sagheb-Talebi, K. and Schutz, J. 2002 The structure of natural oriental beech (*Fagus orientalis*) forests in the Caspian region of Iran and potential for the application of the group selection system. *Forestry* **75**, 465-472. <https://doi.org/10.1093/forestry/75.4.465>

- Schelhaas, M.J. 2008 The wind stability of different silvicultural systems for Douglas-fir in the Netherlands: a model-based approach. *Forestry* **81**, 399-414. <https://doi.org/10.1093/forestry/cpn028>
- Schutz, J. 2002 Silvicultural tools to develop irregular and diverse forest structures. *Forestry* **75**, 329-337. <https://doi.org/10.1093/forestry/75.4.329>
- Schutz, J. 2002 Uneven-aged silviculture: tradition and practices. *Forestry* **75**, 327-328. <https://doi.org/10.1093/forestry/75.4.327>
- Schutz, J. 1999 Close-to-nature silviculture: is this concept compatible with species diversity? *Forestry* **72**, 359-366. <https://doi.org/10.1093/forestry/72.4.359>
- Shields, J.M., Webster, C.R. and Nagel, L.M. 2007 Factors influencing tree species diversity and *Betula alleghaniensis* establishment in silvicultural openings. *Forestry* **80**, 293-307. <https://doi.org/10.1093/forestry/cpm013>
- Shorohova, E., Fedorchuk, V., Kuznetsova, M. and Shvedova, O. 2008 Wind-induced successional changes in pristine boreal *Picea abies* forest stands: evidence from long-term permanent plot records. *Forestry* **81**, 335-359. <https://doi.org/10.1093/forestry/cpn030>
- Skovsgaard, J.P., Wilhelm, G.J., Thomsen, I.M., Metzler, B., Kirisits, T., Havrdova, L., Enderle, R., Dobrowolska, D., Cleary, M. and Clark, J. 2017 Silvicultural strategies for *Fraxinus excelsior* in response to dieback caused by *Hymenoscyphus fraxineus*. *Forestry* **90**, 455-472. <https://doi.org/10.1093/forestry/cpx012>
- Stamatellos, G. and Panourgias, G. 2005 Simulating spatial distributions of forest trees by using data from fixed area plots. *Forestry* **78**, 305-312. <https://doi.org/10.1093/forestry/cpi028>
- Sterba, H. 2002 Forest inventories and growth models to examine management strategies for forests in transition. *Forestry* **75**, 411-418. <https://doi.org/10.1093/forestry/75.4.411>
- Thurnher, C., Klopff, M. and Hasenauer, H. 2011 Forests in transition: a harvesting model for uneven-aged mixed species forests in Austria. *Forestry* **84**, 517-526. <https://doi.org/10.1093/forestry/cpr021>
- Vargas-Larreta, B., Castedo-Dorado, F., Gabriel Alvarez-Gonzalez, J., Barrio-Anta, M. and Cruz-Cobos, F. 2009 A generalized height-diameter model with random coefficients for uneven-aged stands in El Salto, Durango (Mexico). *Forestry* **82**, 445-462. <https://doi.org/10.1093/forestry/cpp016>
- York, R.A., Battles, J.J., Wenk, R.C. and Saah, D. 2012 A gap-based approach for regenerating pine species and reducing surface fuels in multi-aged mixed conifer stands in the Sierra Nevada, California. *Forestry* **85**, 203-213. <https://doi.org/10.1093/forestry/cpr058>
- Zenner, E.K., Martin, M.A., Palik, B.J., Peck, J.E. and Blinn, C.R. 2013 Response of herbaceous plant community diversity and composition to overstorey harvest within riparian management zones in Northern Hardwoods. *Forestry* **86**, 111-117. <https://doi.org/10.1093/forestry/cps060>
- Zenner, E.K., Peck, J.E., Lahde, E. and Laiho, O. 2012 Decomposing small-scale structural complexity in even- and uneven-sized Norway spruce-dominated forests in southern Finland. *Forestry* **85**, 41-49. <https://doi.org/10.1093/forestry/cpr052>
- Zhang, L., Ma, Z. and Guo, L. 2008 Spatially assessing model errors of four regression techniques for three types of forest stands. *Forestry* **81**, 209-225. <https://doi.org/10.1093/forestry/cpn014>