



Cite this article as: Magro PL, Oliveira A, Uva MS, Abecasis M. Artificial chordae repair for post-traumatic tricuspid regurgitation. *Interact CardioVasc Thorac Surg* 2020;31:752.

Artificial chordae repair for post-traumatic tricuspid regurgitation

Pedro Lmares Magro ^{a,*}, Afonso Oliveira^b, Miguel Sousa Uva ^a and Miguel Abecasis^a


^a Department of Cardiothoracic Surgery, Hospital de Santa Cruz, Carnaxide, Portugal

^b Department of Cardiology, Hospital de Santa Cruz, Carnaxide, Portugal

* Corresponding author. Department of Cardiothoracic Surgery, Hospital de Santa Cruz, Av. Prof. Reinaldo dos Santos, Carnaxide 2790-134, Portugal. Tel/fax: +351-916490924; e-mail: pedromagro@gmail.com (P.L. Magro).

Received 7 June 2020; received in revised form 4 July 2020; accepted 12 July 2020

Keywords: ePTFE chordae • Tricuspid regurgitation • Tricuspid repair • Post-traumatic tricuspid



Video 1: We present a case of post-traumatic tricuspid regurgitation in which a combination of rigid annuloplasty and ePTFE chordae implantation provided good functional result and eliminated the necessity for tricuspid valve replacement. The echocardiographic result 5 months postoperatively remains optimal, suggesting a place for this technique in the surgical approach of selected cases of primary tricuspid regurgitation.

Reviewer information

Interactive CardioVascular and Thoracic Surgery thanks the anonymous reviewers for their contribution to the peer review process of this article.